



SHOP SUPPLIES



 **Auto Plus**

 **Auto Parts Plus**

 **BUMPER TO BUMPER**
Auto Parts Professionals



ABRASIVES



ABRASIVES

PowerPlus II Cut-Off Wheels

- Wheels for die grinders/air cut-off tools.



Product #	Size (inches)	RPM
501061	3 x 1/32 x 3/8	25 461
501062	3 x 1/16 x 3/8	25 461

PowerPlus II High Performance Cut-Off Wheels



Product #	Size (inches)	Grit	Application	Max. RPM
501521	4-1/2 x .040 x 7/8	ZX60HP	Steel & Stainless	13,500
501523	4-1/2 x 3/32 x 7/8	ZX36HP	Steel & Stainless	13,500
501526	5 x .040 x 7/8	ZX60HP	Steel & Stainless	12,223
501528	5 x 3/32 x 7/8	ZX36HP	Steel & Stainless	12,223
501531	6 x .040 x 7/8	ZX60HP	Steel & Stainless	10,200
501533	6 x 3/32 x 7/8	ZX36HP	Steel & Stainless	10,200
501537	7 x .040x 7/8	ZX60HP	Steel & Stainless	8,500
501538	7 x 3/32 x 7/8	ZX36HP	Steel & Stainless	8,500

ABRASIVES

SuperChop™ Chop Saw Blades


- 12 to 16-inch fast cut blades designed exclusively for use on electric chop saws.



Product #	Size (inches)	Grit	RPM
501143	12 x 3/32 x 1	A36	5,100
501146	14 x 3/32 x 1	A36	4,400
501149	16 x 7/64 x 1	A36	3,700

Bi-Metal Hacksaw Blades

- 12-24.



ABRASIVES

Twisted Knot Wire Cup Brush

- For steel or stainless steel applications.



	784
	554203

Arbour	Wire Size (inches)	Max. RPM	Diameter (inches)	Application
5/8 – 11NC	.020	12,500	3	Steel

Radial Knot Wire Brush



	784
	553742

Wire (inches)	Max. RPM	Diameter (inches)	Application
.020	25,000	3	Steel

ABRASIVES

Premium Wire Wheel




	784
	550121

Centre Hole (inches)	Wire (inches)	Max. RPM	Diameter (inches)	Min. Face Width (inches)
1/2 - 5/8 - 2	.014	6,000	6	7/8

Bench Grinding Wheels



	784

Product #	Size (inches)	Grit	Max. RPM
522163	6 x 3/4 x 1	36	4,138
522164	6 x 3/4 x 1	46	4,138
522165	6 x 3/4 x 1	60	4,138

ABRASIVES

Sandblast Media Glass Beads

Perfect for removing medium to light contamination without causing dimensional change, over-stressing, imbedding or pitting.



	971

Product #	Description (US Screen)
635004	30-40 (Coarse)
635005	40-50 (Coarse)
635006	50-70 (Med. Coarse)
635008	70-100 (Medium)
635010	100-170 (Fine)
635024	60-100 (Med. Coarse)

3M™ Utility Cloth Rolls 211K

- Aluminium oxide utility roll constructed on a J weight, light and flexible cloth backing.

	130

Product #	Grade	Size
05001	P600/400	1" x 50 yards
05002	P400/320	1" x 50 yards
05003	P320/280	1" x 50 yards
05004	P280/240	1" x 50 yards
05005	P220	1" x 50 yards
05006	P180	1" x 50 yards
05007	P150	1" x 50 yards
05008	P120	1" x 50 yards
05009	P100	1" x 50 yards
05010	P80	1" x 50 yards



ABRASIVES

JetMag Synthetic Olivine Pyroxene Sand

- The only true substitute to sand (silica), JetMag offers excellent sanding quality and its cost/performance ratio is highly competitive.
- Allows faster cleaning and reduces consumption, therefore it offers greater productivity in enclosed work places.
- Non-toxic material and environment friendly.
- Less than 1% free silica.
- Sold in 50 lb bag.



Product #	Description (US Screen)
635202	16-60 (Coarse)
635203	30-60 (Coarse)
635204	35-70 (Med. Coarse)
635207	32 Grit (Coarse)

Aluminium Oxide Sandblast Media

- Highly aggressive abrasive. Ideal for applications where tough contamination is encountered and surface removal of .0005 to .08 inches is acceptable.
- Provides a finish that is ideal for painting, plating and coating.



Product #	Description
635106	36 Grit (Coarse)
635109	54 Grit (Med. Coarse)

ABRASIVES

Wire Scratch Brush




	180

Product #	Description	Bristle Area (inches)	Bristles
2310	Curved Handle	6	3 x 19 rows
2311	Shoe Handle	10	4 x 16 rows

Stainless Steel Brush

- Hand-tied stainless steel tufts for cleaning corrosion from parts without scratching.
- Brush size: 3/8 x 1-3/8 inches.
- Handle length: 7 inches.



	180
	2309



BODYSHOP



BODYSHOP

Parts Cleaning Brushes



Product #	Description
P28	Brush with hose and fitting
P31	Brush only
P32	Brush with hose


Tampico Parts Cleaning Brush



All Purpose, Straight-Bristle Brushes




Econo Straight-Bristle Brushes



Product #	Diameter (inches)	Diameter (mm)
P015210	1	25
AP015215	1-1/2	37
AP015220	2	50
AP015225	2-1/2	64
AP015230	3	75

Product #	Diameter (inches)	Diameter (mm)
010105	1/2	13
010110	1	25
010115	1-1/2	37
010120	2	50
010125	2-1/2	64
010130	3	75

Semi-Pro Straight-Bristle Brushes



518

Product #	Diameter (inches)	Diameter (mm)
019010	1	25
019015	1-1/2	37
019020	2	50
019025	2-1/2	64
019030	3	75
019040	4	100

Super Primer

- Format: 12 oz / 340 g.



387

Product #	Color
T18	Grey Primer
T19	Red Primer
T25	Black Primer
T38	White Primer

Super Enamel Spray Paint

- Format: 12oz / 340g.
- Visit the Plastikote website at www.plastikote.com for a complete list of Colors.



387

product	Color
T1	Gloss Black
T2	Flat Black
T4	Gloss White
T6	Swift Red
T8	Satin Black
T9	Yellow
T10	Machinery Grey
T12	Green
T16	Royal Blue
T23	Aluminium
T24	Flat White
T31	Bright Orange
T45	Clear

BODYSHOP

Engine Enamel Paint

- Format: 12 oz / 340 g.



	387
SYNLEY PAINT • Made in Canada	

Product #	Color
200	Chevrolet Orange
203	Universal Black
205	Old Ford Blue
207	Aluminium
224	Ford Blue
226	Chrysler Orange
229	Clear
227	Pontiac Blue
232	Chrysler Blue

Engine Enamel Paint

- Format: 12 oz / 340 g.



	387
SYNLEY PAINT • Made in Canada	

Product #	Color
HI - TEMP PAINT	
HP11	Hi-Temp Black
HP12	Hi-Temp White
HP14	Hi-Temp Aluminium
CAST FINISH	
282	Cast Aluminium
285	Cast Grey

Visit the Plastikote website at
www.plastikote.com
 for a complete list of colours.

WELDING



WELDING

Premium AWS Arc Welding Rods



Description	Rod Size (inches)	5 lb. Box	10 lb. Box
Class E-6011 Mild Steel	3/32	1440-0116	1440-0117
Class E-6011 Mild Steel	1/8	1440-0106	1440-0107
Class E-6011 Mild Steel	5/32	1440-0096	1440-0097
Class E-6013 Mild Steel	3/32	1440-0146	1440-0147
Class E-6013 Mild Steel	1/8	1440-0135	1440-0136
Class E-6013 Mild Steel	5/32	1440-0125	1440-0126
Class E-7014 Iron Powder	3/32	1440-0206	1440-0207
Class E-7014 Iron Powder	1/8	1440-0201	1440-0202
Class E-7014 Iron Powder	5/32	1440-0151	1440-0152
Class E-7018 Low Hydrogen	3/32	1440-0196	1440-0197
Class E-7018 Low Hydrogen	1/8	1140-0188	1440-0187
Class E-7018 Low Hydrogen	5/32	1440-0181	1440-0182

Solid Mig Wire



Description	Wire Size (inches)	2 lbs.	11 lbs.	33 lbs.
Class ER70S-6	.023	1440-0210	1440-0211	1440-0212
Class ER70S-6	.030	1440-0215	1440-0216	1440-0217
Class ER70S-6	.035	1440-0220	1440-0221	1440-0222
Class ER70S-6	.045	-	-	1440-0447

Fluxed Core Wire




Description	Wire Size (inches)	2 lbs.	11 lbs.	25 lbs.
Class E71T-GS	.030	1440-0230	1440-0232	—
Class E71T-GS	.035	1440-0235	1440-0236	1440-0237

Flint Lighters



Product #	Description	Replacement Flints
1423-0026	Single Flint Lighter	1423-0032
1423-0050	Triple Flint Lighter	1423-0052

Spark Lighter and Flints



Product #	Description	Replacement Flints
TX405	Single Flint Lighter	TX406

WELDING

Acid and Rosin Flux



Product #	Wire Size	Format
1423-1102	Acid Flux Core, Comm.	1/8" x 1 lb.
1423-1109	Acid Flux Core, 30/70	1/8" x 1/2 lb.
1423-1108	Acid Flux Core, 40/60	1/8" x 1/4 lb.
1423-1114	Rosin Flux Core, 40/60	1/8" x 1 lb.
1423-1113	Rosin Flux Core, 30/70	3/32" x 1/2 lb.
1423-1110	Rosin Flux Core, 40/60	1/16" x 1/4 lb.
1423-1112	Rosin Flux Core, 40/60	3/32" x 1/4 lb.

Petroleum-Based Plumbing Flux

- Model PF200 includes a brush.



Product #	Size (oz.)
PF200	2
PF800	8

Silver Bearing Lead-Free Acid Core Solder

- Silver bearing solder for increased joint strength. No flux required!



Product #	Size (oz.)
SAC300	3
SAC800	8
SAC1600	16

Plumber's Solder

- Lead-free: NSF 61 certified safe for potable water systems.
- Meets ASTM Standards B32.
- Silver bearing solder for increased joint strength.



Product #	Size (oz.)
SSW075	0.75
SSW300	3
SSW800	8
SSW1600	16

Premium Silver Bearing Lead-Free Rosin Core

- For electrical work.
No flux required!



Product #	Size (oz.)
SRC050	0.75
SRC300	3
SRC800	8

WELDING

Fat Boy™ Max Power Propylene Fuel Cylinder

- Ideal for medium to heavy soldering and brazing.
- 16.9 oz, 20% more fuel (than standard 14.1 oz cylinders).
- Recyclable and low profile.



	854
	MG9

Fat Boy™ Propane Fuel Cylinder

- Ideal for general soldering.
- 16.9 oz, 20% more fuel (than standard 14.1 oz cylinders).
- Recyclable and low profile.



	854
	TX9

WELDING

Propane Cylinder

- Ideal for general use.



	854
	TX916

Butane Cylinder

- Ideal for light or detailed soldering.



	854
	BF9

Disposable Oxygen Cylinder

- Applications: Brazing, medium to heavy soldering, cutting thin sheet metal, welding, surface hardening of metal.
- Use with fuel gas for higher temperature combustion.



	854
	OX9

WELDING

PowerCell™ Propane Fuel Cylinder

- For use with BernzOmatic® PowerCell™ torch only.



	854
	PC8

Product #	Type	Size	Flame Temp. In Air
MG9	Propane	16.9 oz.	3600°F
TX9	Propane	16.9 oz.	3450°F
TX916	Propane	16.4 oz.	3450°F
OX9	Oxygen	1.1 cu.ft.	Depends on fuel gas
BF9	Butane	2.1 oz.	3200°F
PC8	Propane	8 oz.	–



HARDWARE & REPAIR



HARDWARE & REPAIR

Aluminium Rivets




papeco

087

Product #	Hang-up Box No.	Rivet Dia. (inches)	Grip Range (inches)	Head Type	Rivet Length (inches)	Mandrel
239-011	239-611	1/8 (.125)	1/16 - 1/8	Domed	.232	Aluminium
239-018	-	1/8 (.125)	3/16 - 1/4	L. Flange	.357	Aluminium
239-023	-	1/8 (.125)	5/16 - 3/8	Domed	.481	Aluminium
239-038	-	5/32 (.156)	1/4 - 3/8	Domed	.504	Aluminium
239-047	239-647	3/16 (.188)	1/16 - 1/8	Domed	.277	Aluminium
239-053	239-653	3/16 (.188)	1/8 - 1/4	Domed	.402	Aluminium
239-056	-	3/16 (.188)	1/4 - 3/8	Domed	.527	Aluminium
239-057	-	3/16 (.188)	1/4 - 3/8	L. Flange	.527	Aluminium
239-059	-	3/16 (.188)	3/8 - 1/2	Domed	.652	Aluminium
239-060	-	3/16 (.188)	3/8 - 1/2	L. Flange	.652	Aluminium
239-111	239-711	1/8 (.125)	1/16 - 1/8	Domed	.277	Steel
239-050	239-750	3/16 (.188)	1/16 - 1/8	Domed	.277	Steel
239-153	239-753	3/16 (.188)	1/8 - 1/4	Domed	.402	Steel
239-156	-	3/16 (.188)	1/4 - 3/8	Domed	.527	Steel
239-159	-	3/16 (.188)	3/8 - 1/2	Domed	.652	Steel
239-160	-	3/16 (.188)	3/8 - 1/2	L. Flange	.652	Steel

HARDWARE & REPAIR

Steel Rivets



Product #	Hang-up Box No.	Rivet Dia. (inches)	Grip Range (inches)	Head Type	Rivet Length (inches)
239-211	239-811	1/8 (.125)	1/16 - 1/8	Domed	.232
239-214	239-814	1/8 (.125)	1/8 - 3/16	Domed	.294
239-216	239-816	1/8 (.125)	3/16 - 1/4	Csk.	.362
239-217	239-817	1/8 (.125)	3/16 - 1/4	Domed	.357
239-218	-	1/8 (.125)	1/16 - 1/8	L. Flange	.357
239-223	-	1/8 (.125)	5/16 - 3/8	Domed	.418
239-226	-	1/8 (.125)	3/8 - 1/2	Domed	.625
239-229	-	5/32 (.156)	1/16 - 1/8	Domed	.254
239-238	-	5/32 (.156)	1/4 - 3/8	Domed	.504
239-253	239-853	3/16 (.188)	1/8 - 1/4	Domed	.402
239-256	-	3/16 (.188)	1/4 - 3/8	Domed	.527
239-257	-	3/16 (.188)	1/4 - 3/8	Domed	.527
239-259	-	3/16 (.188)	3/8 - 1/2	L. Flange	.652
239-260	-	3/16 (.188)	3/8 - 1/2	Domed	.652
239-262	-	3/16 (.188)	1/2 - 5/8	L. Flange	.777
239-265	-	3/16 (.188)	5/8 - 3/4	Domed	.902
239-266	-	3/16 (.188)	5/8 - 3/4	L. Flange	.902

HARDWARE & REPAIR

Grease Fittings

- 25 pieces per pack.



Product #	Size (inches)	Description
904-607	1/8 NPT	Straight Long
904-610	1/8 NPT	Straight
904-611	1/8 NPT	30° Elbow
904-688	1/8 NPT	45° Elbow
904-612	1/8 NPT	65° Elbow
904-613	1/8 NPT	90° Elbow
904-627	1/4 NPT	Straight
904-629	1/4 NPT	65° Elbow
904-641	1/4-28	Straight
904-652	1/4-28	Straight Long
904-636	1/4-28	45° Short
904-637	1/4-28	45° Long
904-691	1/4-28	90° Elbow
904-692	5/16-24	Straight
904-693	3/8-24	Straight
904-690	1/4-28	Thread-Forming
904-701	6mm x 1.0	Straight
904-745	6mm x 1.0	45° Elbow
904-790	6mm x 1.0	90° Elbow
904-702	8mm x 1.0	Straight
904-746	8mm x 1.0	45° Elbow
904-791	8mm x 1.0	90° Elbow
904-703	10mm x 1.0	Straight



HARDWARE & REPAIR


25-Foot Steel Tubing

- Tin coated and annealed tubing, ideal for special automotive line replacements that require unusually short or long lengths of tubing. Provides a more economical means of installing hydraulic systems in automotive and truck applications.
- 0.028-inch wall thickness.



Product #	O.D. (inches)
901-131	3/16
901-141	1/4
901-151	5/16
901-161	3/8

Metal Sheets



Product #	Size (inches)	Gauge	Finish
762-2036	36 x 96	20	Regular
762-2234	36 x 48	22	Regular
762-2236	36 x 96	22	Regular
762-2248	48 x 96	22	Regular
762-2248S	48 x 96	22	Satin
762-2436	36 x 96	24	Regular

HARDWARE & REPAIR

Grade 5 SAE Bolt Assortment

- Includes: 1/4"-20 to 1/2"-13 finished hex nuts, 1/4" to 1/2" steel washers, 1/4" to 1/2" spring lock washers, 1/4" x 3/4" to 1/2" x 4" hex cap screws and steel bolt bin display.



papco	087
	022-600

Class 8.8 Metric Bolt Assortment

- Includes: M5-0.80 to M12-1.75 hex nuts (coarse), 5mm to 12mm lock washers and M5x12 to M12x50 hex cap screws.
- A complete line of Nuts & Bolts, as well as other Hardware is available in the Papco online catalogue. Visit www.hpaulin.com/Catalogue for more details.



papco	087
	022-602

HARDWARE & REPAIR

Battery Terminals

- 10 per card.

	360
	40-101



Battery Top Terminals

- 10 per card.

	360
	40-100U



Battery Side Terminals

- 10 per card.

	360
	40-145U



HARDWARE & REPAIR

MH Micro Gear Clamps

- Band - 301 Stainless Steel (8.0mm wide).
- Housing - Carbon Steel Zinc Plated.
- Screw - Carbon Steel Zinc Plated (6mm slotted hex head).



Product #	Size Range (inches)	Size Range (mm)	Qty per Box
MH4	1/4 – 5/8	6 - 16	10
MH5	7/16 – 11/16	7 - 17	10
MH6	5/16 – 7/8	8 - 22	10
MH8	3/8 – 3/4	10 - 25	10
MH10	3/8 – 1-1/16	10 - 27	10
MH12	1/2 – 1-1/4	13 - 32	10
MH16	1/2 – 1-1/2	13 - 38	10
MH20	3/4 – 1-3/4	19 - 44	10
MH24	1 - 2	26 - 51	10
MH28	1-1/4 – 2-1/4	32 - 57	10
MH32	31-1/2- 2-1/2	38 - 63	10
MH36	1-3/4 – 2-3/4	45 - 70	10

HS Regular Gear Clamps

- Band - 301 Stainless Steel (12.7mm wide).
- Housing - 301 Stainless Steel*.
- Screw - Carbon Steel Zinc Plated (8mm slotted hex head).
- * Some sizes are manufactured using carbon steel zinc plated housing.



(See table on page 31.)

HARDWARE & REPAIR

Product #	Size Range (inches)	Size Range (mm)	Qty per Box
HS6	3/8 – 7/8	10 - 22	10
HS8	7/16 - 1	11 - 25	10
HS10	1/2 – 1-1/16	13 - 27	10
HS12	1/2 – 1-1/4	13 - 32	10
HS16	11/16 – 1-1/2	17 - 38	10
HS20	3/4 – 1-3/4	19 – 44	10
HS24	1 – 2	25 – 51	10
HS28	1-1/4 – 2-1/4	32 – 57	10
HS32	1-1/2 – 2-1/2	38 – 63	10
HS36	1-3/4 – 2-3/4	44 – 70	10
HS40	2 – 3	51 – 76	10
HS44	2-1/4 – 3-1/4	57 – 82	10
HS48	2-1/2 – 3-1/2	64 – 89	10
HS52	2-3/4 – 3-3/4	70 – 95	10
HS56	3 – 4	76 – 101	10
HS60	3-1/4 – 4-1/4	83 – 108	10
HS64	2-1/2 – 4-1/2	64 – 114	10
HS72	3 – 5	76 – 127	10
HS80	3-1/2 – 5-1/2	89 – 140	10
HS84	3-3/4 – 5-3/4	95 – 146	10
HS88	4 – 6	102 – 152	10
HS96	4-1/2 – 6-1/2	114 – 165	10
HS104	5 – 7	127 – 178	10
HS116	5-3/4 – 7-3/4	146 – 196	1
HS128	6-1/2 – 8-1/2	165 – 216	1
HS152	2 – 10	51 – 254	1
HS164	1-3/4 – 10-3/4	44 – 273	1
HS188	2-1/16 – 12-1/4	52 – 311	1
HS200	11 – 13	280 – 330	1
HS212	11-3/4 -13-3/4	299 - 349	1
HS224	12-1/2 – 14-1/2	318 – 368	1
HS236	13-1/4 – 15-1/4	337 - 387	1
HS248	1-3/4 - 16	44 - 406	1
HS270	15-3/8 – 17-3/4	391 - 441	1
HS312	18 - 20	457 - 508	1
HS390	22-7/8 – 24-7/8	581 - 632	1

HARDWARE & REPAIR

MAH Micro Gear Clamps

- Band - 301 Stainless Steel (8.0mm wide).
- Housing - 301 Stainless Steel.
- Screw - 305 Stainless Steel (6mm slotted hex head).



TRIDON ▶	520

Product #	Size Range (inches)	Size Range (mm)	Box Quantity
MAH4	1/4 – 5/8	6 - 16	10
MAH5	7/16 – 11/16	7 - 17	10
MAH6	5/16 – 7/8	8 - 22	10
MAH8	3/8 – 3/4	10 - 25	10
MAH10	3/8 – 1-1/16	10 - 27	10
MAH12	1/2 – 1-1/4	13 - 32	10
MAH16	1/2 – 1-1/2	13 - 38	10
MAH20	3/4 – 1-3/4	19 - 44	10
MAH24	1 - 2	26 - 51	10
MAH28	1-1/4 – 2-1/4	32 - 57	10
MAH32	31-1/2- 2-1/2	38 - 63	10
MAH36	1-3/4 – 2-3/4	45 - 70	10

HAS Regular Gear Clamps

- Band - 301 Stainless Steel (12.7mm wide).
- Housing - 301 Stainless Steel.
- Screw - 305 Stainless Steel (8mm slotted hex head).



TRIDON ▶	520

(See table on page 33)


HARDWARE & REPAIR

Product #	Size Range (inches)	Size Range (mm)	Box Quantity
HAS6	3/8 – 7/8	10 - 22	10
HAS8	7/16 - 1	11 - 25	10
HAS10	1/2 – 1-1/16	13 - 27	10
HAS12	1/2 – 1-1/4	13 - 32	10
HAS16	11/16 – 1-1/2	17 - 38	10
HAS20	3/4 – 1-3/4	19 – 44	10
HAS24	1 – 2	25 – 51	10
HAS28	1-1/4 – 2-1/4	32 – 57	10
HAS32	1-1/2 – 2-1/2	38 – 63	10
HAS36	1-3/4 – 2-3/4	44 – 70	10
HAS40	2 – 3	51 – 76	10
HAS44	2-1/4 – 3-1/4	57 – 82	10
HAS48	2-1/2 – 3-1/2	64 – 89	10
HAS52	2-3/4 – 3-3/4	70 – 95	10
HAS56	3 – 4	76 – 101	10
HAS60	3-1/4 – 4-1/4	83 – 108	10
HAS64	2-1/2 – 4-1/2	64 – 114	10
HAS72	3 – 5	76 – 127	10
HAS80	3-1/2 – 5-1/2	89 – 140	10
HAS84	3-3/4 – 5-3/4	95 – 146	10
HAS88	4 – 6	102 – 152	10
HAS96	4-1/2 – 6-1/2	114 – 165	10
HAS104	5 – 7	127 – 178	10
HAS116	5-3/4 – 7-3/4	146 – 196	1
HAS128	6-1/2 – 8-1/2	165 – 216	1
HAS152	2 – 10	51 – 254	1
HAS164	1-3/4 – 10-3/4	44 – 273	1
HAS188	2-1/16 – 12-1/4	52 – 311	1
HAS200	11 – 13	280 – 330	1
HAS212	11-3/4 -13-3/4	299 - 349	1
HAS224	12-1/2 – 14-1/2	318 – 368	1
HAS236	13-1/4 – 15-1/4	337 - 387	1
HAS248	1-3/4 - 16	44 - 406	1
HAS270	15-3/8 – 17-3/4	391 - 441	1
HAS312	18 - 20	457 - 508	1
HAS390	22-7/8 – 24-7/8	581 - 632	1

HARDWARE & REPAIR


Terminals and Quick Disconnects

- Available in regular, heat shrink crimp, and solder & seal terminals.
- For a complete listing of Grote Terminals, please visit the Grote website at www.grote.com/prodcat/



Heat Shrinkable Tubing


- Dual Wall, 3:1 - Black/Red/Clear.
- Industry leading dual wall, adhesive lined heat shrinkable tubing with encapsulant lining.
- Minimum shrink temperature 125°C (257°F).
- Operating temperature range -55°C (-67°F) to 110°C (230°F).



Product #	Size (inches)	Length (feet)
84-4000	1/4	10
84-4001	3/8	10
84-4002	1/2	10
84-4003	3/4	10
84-4004	1	10
84-4005	3/16	10
84-4006	1/8	10

HARDWARE & REPAIR

Nylon Cable Ties



Product #	Tensile	Length (inches)	Color	Pack Qty
83-6514	50 lbs	8	Assorted	50
83-6507	18-50 lbs	4, 8, 11-1/2, 15-1/2	Black	125
83-6506	18-50 lbs	4, 8, 11-1/2, 15-1/2	White	125

Mechanic's Wire

- Soft annealed wire for general use in garage or workshop.
- Used as locking wire in drilled bolts in bearings and flywheels.
- Packed on sturdy plastic spools - saves time - eliminates waste.
- 18 gauge (.047 inches).
- 330 feet.



HARDWARE & REPAIR

Primary Wire

- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials.
- Temperature rating -40°C (40°F) to 85°C (185°F).
- Meets SAE code J1128 specifications.



Gauge	O.D.	Color	25'	100'	1000'
6	.285"	Red	89-3000	87-3000	
		Black	89-3002	87-3002	
		White	89-3007		
8	.239"	Red	89-4000	87-4000	
		Black	89-4002	87-4002	
		White	89-4007	87-4007	
10	.175"	Red	89-5000	87-5000	88-5000
		Brown	89-5001	87-5001	
		Black	89-5002	87-5002	88-5002
		Green	89-5006	87-5006	
		White	89-5007	87-5007	
		Blue	89-5010	87-5010	
		Yellow	89-5011	87-5011	

HARDWARE & REPAIR

Gauge	O.D.	Color	25'	100'	1000'
12	.145"	Red	89-6000	87-6000	88-6000
		Brown	89-6001	87-6001	88-6001
		Black	89-6002	87-6002	88-6002
		Green	89-6006	87-6006	88-6006
		White	89-6007	87-6007	88-6007
		Blue	89-6010	87-6010	88-6010
		Yellow	89-6011	87-6011	88-6011
14	.119"	Red	89-7000	87-7000	88-7000
		Brown	89-7001	87-7001	88-7001
		Black	89-7002	87-7002	88-7002
		Green	89-7006	87-7006	88-7006
		White	89-7007	87-7007	88-7007
		Blue	89-7010	87-7010	88-7010
		Yellow	89-7011	87-7011	88-7011
		Purple	89-7013	87-7013	88-7013
		Orange	89-7012	87-7012	88-7012
Pink	89-7014	87-7014	88-7014		
16	.104"	Red	89-8000	87-8000	88-8000
		Brown	89-8001	87-8001	88-8001
		Black	89-8002	87-8002	88-8002
		Green	89-8006	87-8006	88-8006
		White	89-8007	87-8007	88-8007
		Blue	89-8010	87-8010	88-8010
		Yellow	89-8011	87-8011	88-8011
		Purple	89-8013	87-8013	88-8013
		Orange	89-8012	87-8012	88-8012
Pink	89-8014	87-8014	88-8014		
18	.091"	Red	89-9000	87-9000	88-9000
		Brown	89-9001	87-9001	
		Black	89-9002	87-9002	88-9002
		Green	89-9006	87-9006	
		White	89-9007	87-9007	
		Blue	89-9010	87-9010	
		Yellow	89-9011	87-9011	
20	.083"	Blue		87-2017	
		Red		87-2010	


HYGIENE & SAFETY



HYGIENE & SAFETY

DiamondBack Eyewear


- High-impact polycarbonate lenses.
- Wrap-around design hugs the face.
- Scratch-resistant lenses.
- 99.9% UV protection.
- Non-slip rubber nose piece.
- Anti-fog coating on lenses.
- Non-slip temples.



Product #	Lens	Frame
540-0200	Clear	Black
540-0210	Clear	Black
540-0300	Clear	Blue
540-0000	Clear	Red
540-0100	Clear	Silver
540-0201	Shade	Black
540-0301	Shade	Blue
540-0001	Shade	Red
540-0101	Shade	Silver
540-0205	Yellow	Black
540-0203	Smoke Mirror	Black
540-0303	Smoke Mirror	Blue
540-0003	Smoke Mirror	Red
540-0103	Smoke Mirror	Silver

Foam Ear Plug

- Soft, comfortable and unobtrusive hearing protection.
- Recommended for high noise situations.



HYGIENE & SAFETY

3M™ Corded Foam Ear Plug


- The comfortable fit of soft foam ear plugs with the convenience of a cord.
- Recommended for moderate to high noise.



3M	130
	1110

KleenGuard™ A40 Liquid and Particle Protection Apparel

- Passes NFPA 99 criteria for antistatic materials 12.5"x16.8".
- Low in lint.
- Made with breathable material for comfort.
- Meets ANSI/ISEA 101-1996 sizing standard.

 Kimberly-Clark	586

Product #	Size
44322	Medium
44323	Large
44324	XLarge
44325	XXLarge
44326	XXXLarge



HYGIENE & SAFETY

N95 Particulate Respirator 9211 (AAD)

- This three-panel respirator with innovative design is ideally suited for work settings that involve heat, humidity, or long periods of wear.



3M	130
	37022

N95 Particulate Respirator

- Uniquely designed to help provide protection against certain non-oil based particles.
- Ideally suited for work settings that involve heat, humidity, or long periods of wear.

3M	130
	8511

N95 Particulate Respirator (AAD)

- A breakthrough in comfort and convenience.
- This three-panel respirator with innovative design is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles.


3M	130
	37021

HYGIENE & SAFETY

KleenGuard™ G10 Blue Nitrile Gloves

- 10.5 inches x 12.25 inches.




	586

Product #	Size
57370	XSmall
57371	Small
57372	Medium
57373	Large
57374	XLarge

Disposable Nitrile Gloves

- Lightly powdered.
- Textured fingers.
- 100% synthetic rubber.
- 100 per box.

	203

Product #	Size
09184	Medium
09185	Large
09186	XLarge
09191	XXLarge

HYGIENE & SAFETY

Thickster™ Disposable Gloves

- Powder-free exam grade 14 mil latex.
- Extra thick latex protection.
- 12-inch length for added protection, textured grip and beaded cuff.
- Ambidextrous.
- Box qty: 50 gloves by weight.



Black Raven Powder-Free Nitrile Gloves

- Powder-free, latex-free 6 mil nitrile.
- Superior puncture and abrasion resistance.
- Textured grip and beaded cuff.
- Ambidextrous.
- Box qty: 100 gloves by weight.



Derma-Lite™ Lightly Powdered Nitrile Gloves

- Lightly powdered 5 mil latex-free nitrile.
- Superior puncture and abrasion resistance.
- Textured grip and beaded cuff.
- Ambidextrous.
- Box qty: 100 gloves by weight.



Size	Thickster™	Raven	Derma-Lite™
Small	–	66516	6606
Medium	6602	66517	6607
Large	6603	66518	6608
XLarge	6604	66519	6609
XXLarge	6605	66520	6610

HYGIENE & SAFETY

Kleenex® Cottonelle® White Bathroom Tissue



 Kimberly-Clark	586

Product #	Format	Unit
48040	2-Ply, 4.1" x 4.0"	400 Sheets/Roll
03148	2-Ply, 3.55" x 1000'	1000'/Roll
07805	2-Ply, 3.55" x 1000'	1000'/Roll JRT Jr.
13135	2-Ply, 4" x 4.09"	500 Sheets/Roll
54080	2-Ply, 4" x 4.1"	400 Sheets/Roll

HYGIENE & SAFETY

Kleenex® Hard Roll White Towels

50500

- Exclusive Absorbency Pockets™ absorb lots of water fast, for superior hand drying.
- Meets EPA standards with a minimum of 40% post consumer waste.
- 1.75-inch core diameter and 7.9-inch roll diameter.



Scott® Hard Roll Natural Towels

02021

- 100% recovered materials (recycled cardboard).
- Meets EPA standards with a minimum of 60% post-consumer recycled waste.
- Elemental chlorine-free (ECF) bleaching.
- 1.5-inch core diameter and 5.4-inch roll diameter.



Scott® Hard Roll White Towels

02068

- Features exclusive Absorbency Pockets™.
- 1.5-inch core diameter.



	586




Product #	Format	Color
50500	8" x 425' / 20.3cm x 129.5m	White
11090	8" x 600' / 20.3 cm x 182.9 m	White
02021	8" x 400' / 20.3cm x 121.9m	Natural
02068	8" x 400' / 20.3cm x 121.9m	White

HYGIENE & SAFETY

Kleenex® White Facial Tissue



 Kimberly-Clark	586

Product #	Format	Unit
21400	8.4 x 8.2" / 21.3 x 20.8cm	Single
03076	8.4" x 8.2" / 21.3 x 20.8cm	Convenience Case

In-Sight™ Sr. Center-Pull Towel Dispenser

- Smoke grey.
- 10 x 12.5 x 10.65 inches.

 Kimberly-Clark	586
	09335



Scott® Single-Fold White Towels

- For areas in business that require an economy line of washroom products!
- 9.3 x 10.5 inches / 23.6 x 26.7 cm.

 Kimberly-Clark	586
	01700



HYGIENE & SAFETY

Scott® Center-Pull White Towels

01010

- Two-ply towels, ideal for one-handed dispensing.
- Meets EPA standards with a minimum 40% post consumer waste.
- 8 x 15 inches / 20.3 x 38.1cm.
- 8.8-inch roll diameter.



Scott® Kitchen Roll White Towels

41482

- Exclusive Absorbency Pockets™ for a soft and absorbent performance to handle tough spills and clean-up.
- 11 x 8.78 inches / 27.9 x 22.3 cm.
- 4.9-inch roll diameter.



Wypall™ Heavy Duty Green White Hand Cleaning Wipes

58310

- Pre-moistened wipes with a heavy-duty waterless cleanser.
- 10 x 12 inches (canister).
- Fragrance : Orange, Citrus.


 Kimberly-Clark	586



HYGIENE & SAFETY

Fast Orange® Smooth Lotion Hand Cleaner

- Biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, mineral oils or ammonia that can sting cuts and abrasions.
- Fortified with aloe, lanolin, glycerin, and other skin conditioners.


	203

Product #	Format
23-108	225 ml bottle
23-116	400 ml brush-up bottle
23-217	1.89 L squat bottle with pump
23-218	3.78 L bottle with pump
23-104	3.78 L bottle flat-top



Fast Orange® Pumice Lotion Hand Cleaner

- Biodegradable*, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, mineral oils or ammonia that can sting cuts and abrasions.
- Fortified with aloe, lanolin, glycerin, and other skin conditioners.
- Fine Pumice formula gently deep cleans the toughest dirt.

	203


Product #	Format
25-108	225 ml bottle
25-116	400 ml brush-up bottle
25-218	3.78 L bottle with pump



HYGIENE & SAFETY

DL® Trounce® Lotion and Cream Hand Cleaner


- Pleasantly scented with finely ground pumice for deep scrubbing to remove the most difficult soils.
- Professional strength, contains aloe vera and lanolin to condition skin.
- Biodegradable.



Product #	Format
03-406	2 kg can
03-202	20 kg pail
21-116	400 ml Brush-Up bottle
21-218	3.78 L bottle flat-top

DL® Blue Label™ Cream Hand Cleaner

- Cream formula waterless hand cleaner.
- Does not leave a greasy feeling after use.
- The 4.5 lb. can fits most dispensers including DL® Permatex® 95140.



Product #	Format
01-013	400 g can
01-406	2 kg can
01-202	20 kg pail



WIPING PRODUCTS



WIPING PRODUCTS

Cotton Wipers

RJTW-W5C

- Ideal for stain application or paint clean up.
- Production dimensions: 13" x 13" approx.



Stain Applicator Pads

RFT-2P

- High density, lint-free terry.



Stain Applicator Pads

RSAW-T641/12P

- High-density, lint-free terry professional stain applicator pads.
- Product dimensions: 6 x 4 x 1 inches.



Product #	Description
JX-N	Natural jersey rags
JSC	Seamless cotton rags
CF10-100R	Food grade bleached cheesecloth
RCF-13	Bleached white food grade cheesecloth
RJTW-W5C	Bleached 100% jersey cotton wipers
RFT-2P	High-density terry
RSAW-T641/12P	High-density terry

WIPING PRODUCTS

Cheesecloth

RCF-13

- Great for dusting, buffing wax, applying stain and straining paint.
- Product dimensions: 1 yard x 3 yard (4-ply).



Cheesecloth

CF10-100R

- 100-yard, #10 cheesecloth.
- Product dimensions: 36 inches (4 x 9 inch fold) x 100 yards.



Natural Jersey Rags

JX-N

- Great for chemical wiping applications because there is no risk of Color leaking from the material.



Coloured Jersey Rags

JSC



WIPING PRODUCTS

T-Shirt Rags – BX Series

- Affordable rag, excellent choice for mechanics, janitors, maintenance crews or other general projects.



Premium T-Shirt Rags – BXW Series

- Cut to reduce seams and graded to remove all dirty pieces.
- Model BXW-20C is treated with a special water absorbing formula.



Microfibre Cloths – RMF Series

- Micro fibre traps wax and dust leaving a streak-free shine. Try using the cloths damp for chemical free window and chrome cleaning!
- Product dimensions: 14 x 14 inches.



Product #	Description	Format
BX-10C	T-shirt rags	10 rags
BX-25C	T-shirt rags	25 rags
BXW-10C	Premium T-shirt rags	10 lbs
BXW-25C	White premium T-shirt rags	25 lbs
BXW-20C	Premium T-shirt rags (treated)	20 lbs
FX-20	Color flannel	20 lbs

WIPING PRODUCTS

Flannel Rags – FX Series

- Extremely soft and absorbent rag, ideal for buffing, drying and dusting all types of surfaces.



Coloured Fleece Cloths – SXC Series

- Great rag because of its high cotton content.



Bleached Shop Towels – RSTW Series

- Ultra absorbent bleached shop towels ready-for-use right from the bag.
- Low lint, reusable and washable.
- The ultimate product for absorbing water based solvents; great for window cleaning, mechanics, wiping up spills and other messy jobs.
- Product dimensions: 14 x 14 inches.



Product #	Description	Format
SXC-10C	White fleece cloths	10 lbs
SXC-20	White fleece cloths	20 lbs
SXC-25C	White fleece cloths	25 lbs
RMF-5R	Micro-fibre cloths	Single
RSTW-30P	Bleached shop towels	30 Rags
RSTW-50P	Bleached shop towels	50 Rags

WIPING PRODUCTS

WYPALL™ L20 Wipers

47000



WYPALL™ L20 Wipers

47022



WYPALL™ X80 Wipers – BRAG™ Box

41041



Kimberly-Clark

586

WYPALL™ X60 HydroKnit™ Wipers

34015

- The absorbing power of HydroKnit™ Material in a lighter-weight wiper.



WYPALL™ X60 Teri™ Reinforced Wipers

35401

- Brings the absorbing power of HydroKnit™ technology to a lighter weight wiper!




Product #	Model	Unit	Size (inches)	Color
47000	L20	1/4 Fold	12.5 x 13	Brown
47022	L20	1/4 Fold	12.5 x 13	White
34790	X60	Pop-Up® Box	9.1 x 16.8	White
34015	X60	Brag™ Box	12.5 x 16.8	White
35401	X60	Small Roll	9.8 x 13.4	White
41041	X80	Brag™ Box	12.5 x 16.8	Blue

WIPING PRODUCTS

Krew™ Towels



 Kimberly-Clark	586

Product #	Model	Size (inches)	Color	Unit
33845	Krew™ 200	13.4 x 9.8	White	550/Center-Flow Roll
33920	Krew™ 300	12.5 x 16.8	White	176/Center-Flow Roll
33930	Krew™ 300	9.1 x 16.8	Blue	88/Twin POP-UP* Box
33878	Krew™ 500	13.4 x 9.8	White	275/Center-Flow Roll
33988	Krew™ 500	9.1 x 16.8	White	100/POP-UP* Box
33933	Krew™ 500	12.5 x 16.8	White	180/Twin POP-UP* Box
33889	Krew™ 600	9.6 x 13.4	Blue	225/Center-Flow Roll
33944	Krew™ 600	12.1 x 16.8	Blue	180/Twin POP-UP* Box

WIPING PRODUCTS

Scott® Shop Towels



Kimberly-Clark	586

Product #	Model	Size (inches)	Color	Unit
75120	Shop Towels	10.4 x 11	Blue	55/Roll
75090	Shop Towels	10 x 13	Blue	85/POP-UP* Box
75192	Shop Towels	10 x 13	Blue	200/POP-UP* Box

KimTech™ Prep Wipers for Solvents

- White.
- 12 x 12.5 inches.



Kimberly-Clark	586
	06001



MAINTENANCE



MAINTENANCE

Paper Bags

unisource	139



Product #	Description	Format
011074	Paper bags	1 lb
011075	Paper bags	2 lbs
011076	Paper bags	3 lbs
011077	Paper bags	5 lbs
011082	Grocery bags	10 lbs
011083	Grocery bags	12 lbs

Poly Garbage Bags

unisource	139



Product #	Size (inches)	Description	Color	Quantity
034715	35 x 50	Extra-Strength	Black	100
034742	42 x 48	Extra-Strength	Black	100
034942	20 x 22	Regular	Black	500
034945	26 x 36	Regular	Black	250
034946	26 x 36	Regular	Clear	250
034948	35 x 50	Regular	Black	150
034995	26 x 36	Strong	Black	200
034997	35 x 50	Strong	Black	125
034999	26 x 36	Extra-Strength	Black	150

MAINTENANCE

Ranger Mops




Mann	514

Product #	Description
LB20C	20 oz mop
LB24C	24 oz mop
26	54" Replacement Handle



Brooms



Mann	514

Product #	Size (inches)	Description
100		Small standard broom
2518T	18	Regular floor broom
2524T	24	Regular floor broom
2618T	18	Medium floor broom
2624T	24	Medium floor broom
518T	18	Rough floor broom
524T	24	Rough floor broom
54BM	54	Metal end handle
54VV	54	Threaded handle
60B		Large broom brace

MAINTENANCE


Heavy-Duty Floor Squeegees



Description	Handle	Product #
18" Straight – General purpose gray rubber	–	840-18
24" Straight – General purpose gray rubber	–	840-24
24" Straight – General purpose gray rubber	54" hardwood	840-24-116
30" Straight – General purpose gray rubber	–	840-30
30" Straight – General purpose gray rubber	54" hardwood	840-30-116
36" Straight – General purpose gray rubber	–	840-36
24" Straight– Oil-resistant red rubber	–	841-24
30" Straight– Oil-resistant red rubber	–	841-30
36" Straight– Oil-resistant red rubber	–	841-36
24" Curved– General purpose gray rubber	–	843-24
24" Curved– General purpose gray rubber	54" hardwood	843-24
30" Curved– General purpose gray rubber	–	843-30
36" Curved– General purpose gray rubber	–	843-36
24" Curved– Oil-resistant gray rubber	–	844-24
30" Curved– Oil-resistant gray rubber	–	844-30
30" Curved– Oil-resistant gray rubber	54" hardwood	844-30
36" Curved– Oil-resistant gray rubber	–	844-36
18" Foam	–	845-18
24" Foam	–	845-24
Handle for 840, 841, 843 and 844 Series	54" hardwood	116
Handle for 845 Series	46" vinyl-coated steel (blue)	130-46

MAINTENANCE

Squeegee Handles



Description	Length (inches)	Product #
Aluminium (3-stage)	6-1/2 to 13	114-13
Aluminium – Universal thread	54	118-54
Plastic – Universal thread	20-3/4	120 RED
Plastic – Universal thread	15-3/4	115 RED
Hardwood – Universal thread	20	111U
Hardwood – Universal thread	30	112U

MAINTENANCE

Window Squeegees



515

Description	Handle	Product #
12" Rubber (non-replaceable)	Plastic	835-12
14" Rubber (non-replaceable)	Plastic	835-14
16" Rubber (non-replaceable)	Plastic	835-16
18" Rubber (non-replaceable)	Plastic	835-18
Sponge /rubber with 10" metal head	Plastic (20-3/4" O.L.)	810NYRD-26
Sponge /rubber with 10" metal head	Wood (25" O.L.)	10NY-24A
Sponge /rubber with 6" plastic head	Plastic (9" O.L.)	806NY
Sponge /rubber with 10" metal head	Universal socket	12-810NYU
Sponge /rubber with 8" metal head	Universal socket	12-808NYU

MAINTENANCE

Garage Floor Kleen

- Powerful powdered detergent mixture specifically designed to clean grease, oil and dirt off concrete floors, garage floors, machine shops, factory floors and other industrial workplaces.



	201
	1200

DustBane

- Cleans and reduces airborne dust during sweeping and eases the removal of dust and dirt from sealed and unsealed wood, concrete and metal floors.
- 50 lbs.



unisource	139
	154461

MAINTENANCE

Absorbent


- Diatomaceous earth soaks and traps liquid - works like a sponge.
- Absorbs more liquid than any other mineral absorbent on the market today!



	444
	628N



AUTO DETAIL




AUTO DETAIL

8" x 10" Plush Wash Mitt

- Straight Dynel fibers allow the dirt to rinse easily.
- Durable elastic cuff.
- Soft and comfortable inner lining.



	582
	RWM-D

8" x 10" Plush Wash Mitt

60-055



Cotton Wipers


60-065



Cotton Wipers

- Durable elastic cuff and soft inner lining.



	582
	RWM-P

Cotton Wipers

60-158



	360

AUTO DETAIL

Chamois

- For spot free drying of automotive finishes and windows after washing.



582



Description	Size (sq.ft.)	Product #
Natural Chamois	3.5	RCHN35
Synthetic Chamois	3.5	RCH-S2124

Chamois




360

Description	Size (sq.ft.)	Product #
Natural Chamois	4	62-329
Natural Chamois	3	62-359
Momba Professional Synthetic Chamois	N/D	60-851
Professional Synthetic Chamois	N/D	60-856

Plastic Wash Bucket with Handle

- 2-gallon capacity.



515

864BLACK





HOSES



HOSES

Hose Nozzles

- Metal hose nozzle.
- Adjustable.



Description	Product #
Single pattern	YT1
Six patterns	YT2

Contractor's Water Hoses



Product #	(inches)	I.D. (feet)	Length PSI	Color
WH8BLK-100H	1/2	100	200	Black
WH8BLK-75H	1/2	75	200	Black
WH8BLK-50H	1/2	50	200	Black
WH8BLK-25H	1/2	25	200	Black
WH8BLU-50H	1/2	50	200	Blue
WH8BLU-25H	1/2	25	200	Blue
WH8YEL-50H	1/2	50	200	Yellow
WH8YEL-25H	1/2	25	200	Yellow
WH10BLK-100H	5/8	100	200	Black
WH10BLK-75H	5/8	75	200	Black
WH10BLK-50H	5/8	50	200	Black
WH10BLK-25H	5/8	25	200	Black
WH12BLK-50H	3/4	50	150	Black

HOSES

SuperFlex Water Hose Assemblies



Product #	(inches)	I.D. (feet)	Length PSI	Color
WHGL8GRN100H	1/2	100	200	Black
WHGL8GRN75H	1/2	75	200	Black
WHGL8GRN50H	1/2	50	200	Black
WHGL8GRN25H	1/2	25	200	Black

Air Hoses



Product #	Description (in. x ft.)	Fittings (inches)
80001	1/4 x 250	1/4 M
80002	1/4 x 25	1/4 M
80003	1/4 x 50	1/4 M
80004	3/8 x 25	3/8 M
80005	3/8 x 50	3/8 M
80006	3/8 x 25	1/4 M
80007	3/8 x 50	1/4 M
80010	1/2 x 25	1/2 M
80011	1/2 x 50	1/2 M

AIR ACCESSORIES



AIR ACCESSORIES

M-Style Couplers and Plugs (Milton/Industrial Style)

- Manual brass coupler with brass sleeves (plugs are case hardened steel).



A-Style Couplers and Plugs (Aro 210 Style)

- Push-type steel couplers and plugs, plated for rust resistance.



Product #	Size (inches)	Style	PSI	SCFM	Description
S-715	1/4	M	300	40	Female Body
S-727	1/4	M	300	40	Male Plug (2 per Card)
S-728	1/4	M	300	40	Female Plug (2 per Card)
S-775	1/4	A	300	34	Female Body
S-777	1/4	A	300	34	Male Plug (2 per Card)
S-778	1/4	A	300	34	Female Plug (2 per Card)
S-790	1/4	L	300	32	Female Body
S-791	1/4	L	300	32	Male Plug (2 per Card)
S-792	1/4	L	300	32	Female Plug (2 per Card)
S-785	1/4	T	300	40	Female Body
S-783	1/4	T	300	40	Male Plug (2 per Card)
S-784	1/4	T	300	40	Female Plug (2 per Card)
S-764	1/4	V	300	74	Female Body
S-760-1	1/4	V	300	74	Male Plug (2 per Card)
S-761-1	1/4	V	300	74	Female Plug (2 per Card)

AIR ACCESSORIES

L-Style Couplers and Plugs (LincolnStyle)

- Push-type steel couplers and plugs, plated for rust resistance.



T-Style Couplers and Plugs (Parker/Tru-Flate Style)

- Manual brass coupler with brass sleeves (plugs are case hardened steel).



V-Style Couplers and Plugs (Hi-Flow HVLP Style CEGN)

- Push-type brass couplers with brass sleeves (plugs are case-hardened steel).



AIR ACCESSORIES

Dual Head Air Chuck

S-690

- 1/4" Female NPT.
- Designed and manufactured to exacting specifications.
- 150 PSI.



Safety Grip Chuck Clip

S-692

- Fits all standard single-head air chucks.



Dual Head Straight Foot Chuck

S-693

- For inner duals, both ends lock-on threads.



European Style Chuck Clip

S-697

- 1/4" I.D. hose barb.



Chuck Clip with Female Chuck

S-698

- 1/4" NPT.



Female Single Head Chuck

S-699

- 1/4" NPT.



MILTON INDUSTRIES, INC.

507



TIRE MAINTENANCE



TIRE MAINTENANCE

Tire Bags

- 250 per roll



BALCAN PLASTICS	529
	975-48B

Tubeless Tire Valves

- Snap-in type.
- Ozone resistant rubber (Shiny Black).
- Maximum 60 PSI.



TRU-FLATE®	864

Model	50/box	500/box	Length (inches)
TR412	30-412-50	30-412-500	7/8
TR413	30-413-50	30-413-500	1-1/4
TR414	30-414-50	30-414-500	1-1/2
TR415	30-415-50	30-415-500	1-14
TR423	30-423-50	30-423-500	2-1/2
TR418	30-418-50	30-418-500	2
TR425	30-425-50	30-425-500	2

TIRE MAINTENANCE

Plastic Tire Valve Caps



TRU-FLATE®

864

38-505-100

Valve Cores

- 1,000 per box.
- Meet ZZ-V-25 and TR-C-1 specifications.



TRU-FLATE®

864

38-790-1000

Tubeless Tire Valves

- Snap-in type.
- Ozone resistant rubber (Shiny Black).
- Maximum 60 PSI.



MILTON INDUSTRIES, INC.

507

Model	2 per card	10/box	50/box	500/box	Length (inches)
TR413	S413	413-10	413-50	413-500	1-1/4
TR414	S414	414-10	414-50	414-500	1-1/2
TR415	S415	415-10	415-50	415-500	1-14
TR423	S423	423-10	423-50	423-500	2-1/2
TR418	S418	418-10	418-50	418-500	2
TR425	S425	425-10	425-50	425-500	2

TIRE MAINTENANCE

Tire Gauges

- Four-sided indicator bar.
- Model S-976 features a plated brass tube.



Application	PSI
Passenger vehicle	5 to 50 (1 lb increments)
Truck, RV, Bicycle	20 to 120 (2 lbs increments)
Truck (Dual Chuck)	20 to 120 (2 lbs increments)
Tractor (for air/water)	5 to 50 (1 lb increments)
Service (Dual Chuck)	10 to 160 (2 lbs increments)

Tire Patches



Product #	Qty	Type	Size (inches)	Description
14-152	40	S Round	1-5/8	ChemBond tube and BIAS patches
14-153	30	M Round	2-1/4	ChemBond tube and BIAS patches
14-154	20	L Round	3-1/8	ChemBond tube and BIAS patches
14-157	30	S Oval	1-1/2 x 2-1/2	ChemBond tube and BIAS patches
14-158	20	M Oval	1-7/8 x 3-7/8	ChemBond tube and BIAS patches
14-159	20	L Oval	2-5/8 x 5-3/4	ChemBond tube and BIAS patches
14-137	30	S Round	2-1/4	Radial patches
14-139	20	M Round	3-1/4	Radial patches
14-140	10	L Round	4-1/8	Radial patches
14-401	30	Round	1-1/2	Foil-back repair patches
14-402	30	Round	1-3/4	Foil-back repair patches
14-403	30	Round	2-1/8	Foil-back repair patches
14-404	30	Round	3-1/8	Foil-back repair patches
14-408	10	Oval	4" x 1-7/8	Foil-back repair patches
14-409	10	Oval	6" x 2-7/8	Foil-back repair patches

TIRE MAINTENANCE



kPa

Product #

40 to 350 kPa (10 kPa units)

S-921

120 to 820 kPa (20 kPa units)

S-925

120 to 820 kPa (20 kPa units)

S-927

40 to 350 kPa (10 kPa units)

S-928

80 to 1100 kPa (20 kPa units)

S-976



TIRE MAINTENANCE

Heavy-Duty Tire Repair Cement

- Non-flammable.



TRU-FLATE®	864

Product #	Format
12-085	4 oz.
12-086	8 oz.

Tire Marking Crayons



TRU-FLATE®	864

Product #	Quantity	Color
17-235	Carded	White
17-236	Carded	Yellow
17-253	Box of 12	Yellow

Super-Grip Emergency Tire Repair Kit

- Refill kit available (model no. 15-161).



TRU-FLATE®	864
	15-162

TIRE MAINTENANCE

Tire Plugs



TRU-FLATE®

864

Product #	Qty	Size (inches)	Description
15-184	20	4	Radial tire plugs
15-206	50	7	BIAS ply and emergency tire repair plugs

AW Series Wheel Weights

- For use on a wide array of cars, from Buick to Geo!



Product #	Weight (oz)	Box Quantity
AW025N	1/4	25
AW025-UBX	1/4	25
AW050N	1/2	25
AW050-UBX	1/2	25
AW075N	3/4	25
AW075-UBX	3/4	25
AW100N	1	25
AW100-UBX	1	25
AW125N	1-1/4	25
AW125-UBX	1-1/4	25
AW150N	1-1/2	25
AW150-UBX	1-1/2	25
AW175N	1-3/4	25
AW175-UBX	1-3/4	25
AW200N	2	25
AW200-UBX	2	25
AW225N	2-1/4	25
AW225-UBX	2-1/4	25
AW250N	2-1/2	25
AW250-UBX	2-1/2	25
AW275N	2-3/4	25
AW275-UBX	2-3/4	25
AW300N	3	25
AW300-UBX	3	25



508

TIRE MAINTENANCE

EN Series Wheel Weights


- Designed for Acura, Audi, Honda, Mercedes Benz, and Volkswagen alloy wheels.



Product #	Weight (g)	Box Quantity
EN010	10	25
EN015	15	25
EN020	20	25
EN025	25	25
EN030	30	25
EN035	35	25
EN040	40	25
EN045	45	25
EN050	50	25
EN055	55	25

FN Series Wheel Weights

- Designed for thicker flange alloy wheels used on many Japanese vehicles.




Product #	Weight (g)	Box Quantity
FN005	5	25
FN0075	7.5	25
FN010	10	25
FN0125	12.5	25
FN015	15	25
FN020	20	25
FN025	25	25
FN030	30	25
FN035	35	25
FN040	40	25
FN045	45	25
FN050	50	25
FN055	55	25
FN060	60	25
FN075	75	25

TIRE MAINTENANCE

I7 Series Wheel Weights

- Most popular weight for medium-duty trucks. Used on the majority of trucks with tube-type tires.



Product #	Weight (g)	Box Quantity
I7-020-UBXC	2	10
I7-030	3	10
I7-030-UBXC	3	10
I7-040	4	10
I7-050-UBXC	5	10
I7-060-UBXC	6	10
I7-080	8	10
I7-100-UBXC	10	10
I7-120-UBXC	12	10

IAW Series Wheel Weights

- Used on many import car alloy wheels.
- Replaces most two-piece alloy wheel weight designs commonly found on vehicles manufactured in Europe.




Product #	Weight (g)	Box Quantity
IAW005	5	25
IAW010	10	25
IAW015	15	25
IAW020	20	25
IAW025	25	25
IAW030	30	25
IAW030U	30	25
IAW035	35	25
IAW035U	35	25
IAW040	40	25
IAW045	45	25
IAW045U	45	25
IAW050	50	25
IAW055	55	25
IAW060	60	25

TIRE MAINTENANCE

CT Series Wheel Weights

- Primarily used on rim widths of 6.75", 7.50", and 8.25".
- Used on heavy-duty trucks with Firestone, Accuride, Budd, or Goodyear tubeless rims with straight flanges.



Product #	Weight (g)	Box Quantity
CT-020-UBXC	2	10
CT-040-UBXC	4	10
CT-060-UBXC	6	10
CT-080	8	10
CT-100-UBXC	10	10

LH Series Wheel Weights

- Used primarily on late model Chrysler cars.
- Designed to fit unique wheel flange profile.



Product #	Weight (oz)	Box Quantity
LH025	1/4	25
LH050	1/2	25
LH075	3/4	25
LH100	1	25
LH125	1-1/4	25
LH150	1-1/2	25
LH175	1-3/4	25
LH200	2	25
LH225	2-1/4	25
LH250	2-1/2	25
LH275	2-3/4	25
LH300	3	25

TIRE MAINTENANCE

LT Series Wheel Weights

- Used primarily on light-duty trucks, and 1-ton vehicles with either tube or tubeless rims where such rims are too thick for standard passenger car weights.
- Also for use on heavier trucks with thin rim flanges.



Product #	Weight (oz)	Box Quantity
LT1-005	1/2	25
LT1-010	1	25
LT1-020	2	25
LT1-030	3	25
LT1-040	4	25
LT1-050	5	25
LT1-060	6	25

MC Series Wheel Weights

- Used on many cars from AMC/ Eagle to Subaru.




Product #	Weight (oz)	Box Quantity
MC025	1/4	25
MC025N	1/4	25
MC025-UBXC	1/4	25
MC050N	1/2	25
MC050-UBXC	1/2	25
MC075N	3/4	25
MC075-UBXC	3/4	25
MC100N	1	25
MC100-UBXC	1	25
MC125N	1-1/4	25
MC125-UBXC	1-1/4	25
MC150N	1-1/2	25
MC150-UBXC	1-1/2	25
MC175N	1-3/4	25
MC175-UBXC	1-3/4	25
MC200N	2	25
MC200-UBXC	2	25
MC225N	2-1/4	25
MC225-UBXC	2-1/4	25
MC250N	2-1/2	25
MC250-UBXC	2-1/2	25
MC275N	2-3/4	25
MC275-UBXC	2-3/4	25
MC300N	3	25
MC300-UBXC	3	25

TIRE MAINTENANCE

P Series Wheel Weights

- Used on all standard passenger cars with 13-15 inch steel wheels.
- Clips are plated and batch salt-spray tested to comply with demanding OEM corrosion resistance specifications.



Product #	Weight (oz)	Box Quantity
P025	1/4	50
P050	1/2	50
P050S	1/2	25
P075	3/4	50
P100	1	50
P125	1-1/4	50
P150	1-1/2	50
P175	1-3/4	50
P200	2	50
P200S	2	25
P225	2-1/4	50
P250	2-1/2	50
P275	2-3/4	50
P300	3	50
P300S	3	25
P325	3-1/4	25
P350	3-1/2	25
MC225-UBXC	2-1/4	25
MC250N	2-1/2	25
MC250-UBXC	2-1/2	25
MC275N	2-3/4	25
MC275-UBXC	2-3/4	25
MC300N	3	25
MC300-UBXC	3	25

TIRE MAINTENANCE

T Series Adhesive Wheel Weights

- Used on 1988 and newer domestic light trucks with decorative and larger thickness steel wheels.
- Also used on 1997 and newer Ford F150, Ford Expedition, and Lincoln Navigator alloy wheels.




Product #	Weight (g)	Box Quantity
T025N	1/4	25
T050N	1/2	25
T075N	3/4	25
T100N	1	25
T125N	1-1/4	25
T150N	1-1/2	25
T175N	1-3/4	25
T200N	2	25
T225N	2-1/4	25
T250N	2-1/2	25
T275N	2-3/4	25
T300N	3	25
T375N	3-3/4	25
T500N	5	25

TIRE MAINTENANCE

Wheel Weight Adhesive Strips

- Contains 60 3oz strips pre-cut in 1/4oz (7 gram) increments of 1/2 inch width.



	508
	100360

Truck Adhesive Wheel Weights

- Larger weight designed specifically for trucks and RVs.
- The 6oz 3/4-inch wide strips are pre-cut in 1/2oz (14 gram) increments.
- Each segment is stamped with the actual weight in ounces and grams.
- Each box contains 30 strips.




	508
	300360

Low Profile Coated Adhesive Wheel Weight

- Used primarily on imports and sports cars where the brake caliper clearance knocks off the standard thickness QuikStik weights.
- Box contains 52 - 3oz strips pre-cut in 1/4oz (7 gram) increments of 3/4 inch width.



	508
	200624

BONDING & ADHESIVE SEALANTS



BONDING & ADHESIVE SEALANTS

Cold Weld Bonding Compound

- A 15-minute, two-part adhesive and filler system; once cured, it can be drilled, sanded, painted or filed.
- Resists most automotive, shop and cleaning fluids.
- Withstands temperatures to 300°F intermittent.
- Over 3000 PSI shear strength on steel.




 Permatex®	203
	14600

PermaPoxy™ 5-Minute Plastic Weld

- Forms a tough, durable bond to most plastics, composites, ceramics, wood in any combination.
- Fast curing product with gelling of mixed adhesive in 5 – 6 minutes and fixturing in 9 – 10 minutes.
- Temperature range -60°F to 250°F (-51°C to 121°C).
- Permanent strength up to 3500 PSI.
- Format: 25ml syringe.
- NOTE : Will not stick to most polyethylen or polypropylen plastics.




 Permatex®	203
	84125

BONDING & ADHESIVE SEALANTS

5-Minute General Purpose Epoxy

- Two-part adhesive and filler system that eliminates the need for welding or brazing. Sets in five minutes.
- Fills gaps and will not shrink.
- Resistant to water and solvents.
- Temperature range -60°F to 180°F (-51°C to 82°C).
- Permanent strength up to 3400 PSI.




	203
	QM50A

Ultra Bond™ Super Glue

- Works on porous and nonporous materials including metal, most plastics, laminated plastics, vinyl, rubber, ceramics, paper, wood, textiles, leather, synthetic leather, cork, and chipboard.
- Outperforms regular super glues.



	203

Product #	Format
49502	3 ml tube
49512	28 g bottle

BONDING & ADHESIVE SEALANTS

Clear RTV Silicone Adhesive Sealant

- Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops.
- Protects and repairs electrical wiring.
- Resists oil, water, weather, vibration, grease.
- Temperature range from -75°F to 400°F (-59°C to 204°C).




 Permatex®	203
---	-----

Product #	Format
66BR	80 ml tube
66C	300 ml cartridge

Red High Temperature RTV Adhesive Sealant

- High temperature all-purpose RTV adhesive sealant.
- Seals and waterproofs electrical connections, firewall openings, heater boxes; seals and bonds glass, metals and plastics.
- Temperature range from -75°F to 650°F (-60°C to 340°C).




 Permatex®	203
---	-----

Product #	Format
26BR	80 ml tube
26C	300 ml cartridge
85915	205 g PowerBead

BONDING & ADHESIVE SEALANTS

Black Silicone Adhesive Sealant

- Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops.
- Protects and repairs electrical wiring.
- Resists oil, water, weather, vibration, grease.
- Temperature range from -75°F to 450°F (-59°C to 232°C).


	203

Product #	Format
16BR	80 ml tube
16C	300 ml cartridge



Sensor-Safe RTV Silicone Gasket Maker

- Will not foul oxygen sensors.
- Replaces almost any cut gasket.
- Makes reliable “formed-in-place” gaskets that resist cracking, shrinking and migrating.
- Resists auto and shop fluids.
- Temperature range from -65°F to 500°F (-54°C to 260°C) intermittent.

	203

Product #	Format	Colour
17BR	80 ml tube	Black
17C	300 ml cartridge	Black
6C	300 ml cartridge	Blue




BONDING & ADHESIVE SEALANTS

High-Temp Red RTV Silicone Gasket Maker

- OEM specified.
- Replaces almost any cut gasket by making reliable “formed-in-place” gaskets that resist cracking, shrinking and migrating caused by thermal cycling.
- Temperature range from -65°F to 650°F (-54°C to 343°C).




	203

Product #	Format
27BR	80 ml tube
27C	300 ml cartridge

Ultra Copper® Maximum Temperature RTV Silicone Gasket Maker

- OEM specified.
- Highest operating temperatures for 4-cylinder, turbocharged or high-performance engines.
- Sensor-safe, low odor, non-corrosive.
- Temperature range -75°F to 700°F (-59°C to 371°C).



	203


Product #	Format
101BR	80 ml tube
101C	300 ml cartridge

BONDING & ADHESIVE SEALANTS

Ultra Black® Maximum Oil Resistance RTV Silicone Gasket Maker

- For dealership warranty requirements, ensures extended drive train warranty compliance.
- Meets performance specs of OE silicone gaskets.
- Fast-curing, sensor safe, low odor, non-corrosive.
- Temperature range from -65°F to 500°F (-54°C to 260°C).



	203


Product #	Format
59803	80 ml tube
59813	300 ml cartridge
85080	269 g PowerBead



Ultra Blue® Multipurpose RTV Silicone Gasket Maker

- Outstanding oil resistance and joint movement values.
- Eight times more flexible than cork/composite gaskets; three times more oil resistant than conventional silicones.
- Sensor-safe, low odor, non-corrosive.
- Temperature range from -65°F to 500°F (-54°C to 260°C).



	203

Product #	Format
77BR	80 ml tube
77C	300 ml cartridge
85519	269 g PowerBead




BONDING & ADHESIVE SEALANTS

Ultra Grey® Rigid High-Torque RTV Silicone Gasket Maker

- Designed specially for high-torque and high vibration applications, like those common in import engines.
- Maximum vibration resistance, with outstanding resistance to oils, cooling and shop fluids.
- Non-corrosive and low-odor.
- Guaranteed not to leak.
- Temperature range from -65°F to 500°F (-54°C to 260°C).




	203
---	-----

Product #	Format
82194	80 ml tube
82195	300 ml cartridge

Aviation Form-A-Gasket® No. 3 Sealant

- Slow-drying, non-hardening brush-top sealant approved for use in aviation as well as automotive applications.
- Temperature range: -65°F to 400°F (-54°C to 204°C).
- Resists gasoline, oil and grease.




	203
---	-----

Product #	Format
3D	473 ml brush-top can
3H	180 ml brush-top can

BONDING & ADHESIVE SEALANTS

Form-A-Gasket® No. 2 Sealant

- Slow-drying, non-hardening sealant designed for sealing cut gaskets and stamped parts.
- Temperature range: -65°F to 400°F (-54°C to 204°C).
- Use where sealing is more important than adhesion.


	203
	2BR



The Right Stuff® 1-Minute Gasket

- Ideal for all non-fuel sealing applications, 1-Minute Gasket is superior to most OE products.
- Protects against leaks caused by vibration and thermal expansion.
- Resists ATF, coolant, oil and other shop fluids.
- Sensor-safe.
- Temperature range -75°F to 450°F (-59°C to 232°C) continuous, 500°F (260°C) intermittent.



	203

Product #	Format
30874	147 ml cartridge
30875	2 x 147 ml cartridge
26015	212 g PowerBead
33694	300 ml cartridge
29247	Short cartridge gun



BONDING & ADHESIVE SEALANTS

High Tack™ Spray-A-Gasket™ Sealant

- Fast-drying all-purpose sealant dries to a highly tacky, non-brittle film.
- Resists gasoline, oil, antifreeze, axle lube, kerosene, propane and butane.
- Remains effective under temperatures of -65°F to 500°F (-54°C to 260°C).

	203

Product #	Format
99GA	135 g aerosol
99MA	255 g aerosol



Hi-Temp Red Gasket Maker

- Withstands repeated hot and cold cycles from -60°C to 315°C (-75°F to 600°F).

	201

Product #	Colour	Size
474	Red	85 g
477	Red	300 ml




BONDING & ADHESIVE SEALANTS

Anaerobic Flange Sealant

- Flexible, gasketing material for use on rigid machined flanges with less than .015" gap.
- OEM approved – use where OE's specify "anaerobic" gasket (cures in the absence of air).
- Withstands temperatures to 300°F (149°C).




	203

Product #	Format
51531	50 ml tube
51580	300 ml cartridge

High Temperature Thread Sealant

- Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels.
- Lubricates threads for easy assembly and disassembly.
- Temperature range from -65°F to 400°F (-54°C to 204°C).
- Contains PTFE.




	203

Product #	Format
59214	6 ml tube
59234	50 ml tube
59225	250 ml tube

BONDING & ADHESIVE SEALANTS

Permanent Strength Threadlocker, Red

- A permanent, high strength product that is applied to fasteners 3/8" to 1" (10mm to 25mm) in size before assembly.
- Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions.


	203

Product #	Format
26200	6 ml tube
26210	10 ml bottle
26240	36 ml bottle
26250	50 ml bottle
26225	250 ml bottle



Medium Strength Threadlocker, Blue

- All-purpose, medium strength threadlocker, ideal for all nut and bolt applications 1/4" to 3/4" (6mm to 20mm).
- Protects threads from corrosion.

	203


Product #	Format
31878	Counterman's choice 0.5 ml
24200	6 ml tube
24210	10 ml bottle
24215	10 g gel twist
24240	36 ml bottle
24250	50 ml bottle
24225	250 ml bottle



BONDING & ADHESIVE SEALANTS

High Performance Thread Sealant

- Formulated specifically for metal, tapered pipe thread fittings, it replaces Teflon® tape and pipe dopes.

	203


Product #	Format
56521	50 ml tube
56525	250 ml tube



Permatex® Thread Sealant with Teflon

- Seals and resists pressure in air, oil, diesel fuel and hydraulic systems.
- Resists common shop fluids.
- Temperature range -65°F to 300°F.
- Format: 118ml brush-top can.



	203
	14H

Teflon Tape

	087
	904-108



BONDING & ADHESIVE SEALANTS

Duct Tape 3939

- Silver



3M	130
	06975

Scotch® Performance Masking Tape 233+

- Highly conformable, hugs curves and contours, provides the best adhesive transfer, resistance and outstanding paint lines.
- Goes on quickly and easily, sticks at a touch and stays put.
- Perfectly balanced to give outstanding masking results.




3M	130

Product #	Diameter
26334	18 mm x 55 m (3/4" Application)
26336	24 mm x 55 m
26338	36 mm x 55 m
26340	48 mm x 55 m
26341	72 mm x 55 m

BONDING & ADHESIVE SEALANTS

Scotch® Masking Tape 2308



Product #	Diameter
06545	18 mm x 55 m 5.5 mil
06547	36 mm x 55 m 5.5 mil
06548	48 mm x 55 m 5.5 mil

Highland Masking Tape 2727



Product #	Diameter
06541	18 mm x 55 m 5.5 mil
06542	36 mm x 55 m 5.5 mil
06543	48 mm x 55 m 5.5 mil

BONDING & ADHESIVE SEALANTS

Gasket Remover

- Quickly removes all solvent-based gasketing adhesives and sealants, even baked-on gaskets.
- Format: 340 g aerosol.


 Permatex	203
	4MA



Rearview Mirror Adhesive

- Approved and used by GM, Ford and Chrysler.
- Permanently remounts mirrors to windshields.
- Achieves handling strength in seconds; mirror-mounting strength in 15 minutes.



 Permatex	203




Product #	Format
09222	0.9 ml DIY kit
3306	0.9 ml kit
03325	24 ml kit

BONDING & ADHESIVE SEALANTS

Super Weatherstrip Adhesive

- Ideal for many applications including rubber, metal, auto or van carpeting and fabric-backed vinyl upholstery and automotive gaskets.
- Withstands extreme temperatures.
- Waterproof, resists gasoline, kerosene, antifreeze and most solvents.




Product #	Format	Colour
80BR	59 ml tube	Yellow
81731	147 ml tube	Yellow
81850	147 ml tube	Black



Silver Anti-Seize Lubricant

- Use during assembly to prevent galling, corrosion and seizing and to assure easier disassembly.
- Temperature range: -60°F to 1600°F (-51°C to 871°C).
- Salt, corrosion and moisture resistant – ideal for marine use.



Product #	Format
31875	5 g sachet
133H	113 g brush-top can
81464	241 g aerosol
76764	454 g brush-top can

BONDING & ADHESIVE SEALANTS

Muffler Repair Tape



	360

Product #	Size (inches)
21-550	2
21-552	3


Sealing Tape Dispenser



	130
	06997

Stretch Film



	139
	205010

Packaging Tape



	139

Product #	Colour
094542	Tan
094553	Clear



LUBRICANTS




LUBRICANTS

X-Tra Heavy Duty Grease

- Lasts four times longer than regular grease.
- Virtually waterproof, all temperature stable.
- Exceeds Lube for Life specifications.
- The ultimate grease for high speed bearings




	277
---	-----

Product #	Format
20301	14.5 oz
20330	16.0 oz

Red 'N' Tacky Grease


- Fortified with a high degree of extreme pressure additives that give it a TRUE Timken load, much higher than other greases of this type, perfect for sliding surfaces and open gears.
- Rust and oxydation inhibitors.
- Water resistant.
- Agricultural, automotive, and industrial applications.
- Size: 397 g.



	277
	20005-60

LUBRICANTS

Grease



Product #	Description	Size
504971	Multi-Purpose Grease	400 g
VV70124	Crimson Grease	400 g
504972	Valplex EP Grease	400 g
504974	Spec Moly EP Grease	400 g
3087	Valplex Wheel Bearing Grease VC613	2 kg

LUBRICANTS

White Grease

- High melting point sulphide system.
- Designed to resist water washout.
- Suitable lubrication where No. 2 grease is specified for car, truck, construction and marine applications.



	201
---	-----

Product #	Format
907	225 g
909	400 g
914	450 g

Heavy Duty Gear Oil

- Unique formula, fortified with special anti-wear agents and lubricity agents to control wear and drag as well as special additives to control heat.

	277
---	-----


Product #	Rating	Format
20043	80/90	Quart
20046	80/90	Gallon
20042	85/140	Quart
20045	85/140	Gallon



LUBRICANTS

Synthetic 75/90 Gear Oil

- Non-foaming, super slick, long lasting lubricant designed especially for heavy duty or high performance applications.
- Specially designed to stand up to high temperatures without losing its lubricity.


	277
---	-----

Product #	Format
20047	Quart
20048	Gallon



Synthetic 75/140 Gear Oil

- Heavy duty, high performance oil specially designed to stand up to high temperatures without losing its lubricity.


	277
---	-----

Product #	Format
20121	Quart
20122	Gallon



90H GearLube

- Size: 946 ml.

	210
	3032




LUBRICANTS

WD-40 Lubricant

- Everyone's favorite multi-purpose problem solver for over 50 years!
- Cleans, lubricates and protects against corrosion.
- Also removes grease, gum, dirt, adhesives, and scuff marks.



	269
---	-----

Product #	Format
01105	5.5 oz
01110	3.78 L
01152	Smart straw
01211	311 g can

Honey Goo Lubricant

- Thanks to the help of the Bumble Bee, this multi-purpose marvel penetrates, inhibits rust, protects, lubricates, prevents oxidation, repels water, displaces moisture, undercoats, and much more!
- Great on cars, trucks, boats and RVs.
- Format: 330 g aerosol.



	201
	800

LUBRICANTS

Air Tool Oil

- Special formula engineered for the maintenance of all piston-type and rotary air tools by dissolving gums and sludge.

	201

Product #	Size
4168	4 L
4169	500 ml



Rim Slip Tire Mounting Lube

- Enables tires to be easily mounted and demounted from rims (wheels), for tube and tubeless tires.
- Lubricates squeaking rubber bushings.
- Model 571 includes applicator.

	201

Product #	Size (L)
571	4
572	20



LUBRICANTS

Air Tool Oil

- Flip Top container tool oil (4 oz perfect for toolboxes).
- 10 weight non-detergent oil.
- Working temperature: 5°F to 350°F, 32°C to 300°C.




	507

Product #	Type	Format
1001-4	Tool Oil	4 oz Flip Top
1001-16	Tool Oil	16 oz Flip Top
1001-32	Tool Oil	32 oz Flip Top

Compressor Oil

- Protects against corrosion, oxidation, wear of metal parts.
- Working temperature: 20°F to 440°F.




	507

Product #	Description	Format
1002	Compressor Oil	1 Gallon
1002-32	Compressor Oil	32 oz Flip Top

LUBRICANTS

Synthetic Compressor Oil




	670

Product #	Description	Format
OJ-2000	Reciprocating Synthetic Oil	1-gallon jug
OJ-2000-K6	Reciprocating Synthetic Oil	6 x 1-gallon jugs
DEV-3000	Reciprocating Synthetic Oil	5-gallon pail
DEV-3000-K1	Reciprocating Synthetic Oil	1-gallon jug
DEV-3000-K6	Reciprocating Synthetic Oil	6 x 1-gallon jugs

Reciprocating Compressor Oil



	670


Product #	Description	Format
PR-20-4	20 Grade Reciprocating Oil	4 L jug
PR-20-K4	20 Grade Reciprocating Oil	4 x 4 L jugs
PR-30-4	30 Grade Reciprocating Oil	5-gallon pail
PR-30-K4	30 Grade Reciprocating Oil	1-gallon jug

LUBRICANTS

Hydraulic Jack Oil

- High quality, paraffinic formulation designed for long, trouble free operation.
- Retards rust and oxidation within hydraulic systems.



	201

Product #	Size (L)
924	1
925	4

TDH Universal Tractor Oil

- Formulated to be used in the hydraulic/transmission/wet brake systems in a wide variety of farm tractors and implements.
- Size: 20 L.



	201
	941

Hydraulic Oil

- Formulated for maximum performance in high temperature, extreme pressure applications.
- Contains anti-foam and anti-friction additives.
- Protects against internal rust and corrosion and reduces wear.
- Meets or exceeds ISO specifications.




	201

Product #	Grade	Size (L)
918	ISO32 Clear	20
930	ISO32	20
919	ISO68 Clear	20
931	ISO68	20
933	ISO46	20
935	ISO22	20
937	ISO100W	20




AUTOMOTIVE CHEMICALS



AUTOMOTIVE CHEMICALS

Synthetic Oil Stabilizer


- Light enough for an import - Tough enough for a semi.
- Use in new equipment which requires synthetic oils or any equipment that needs enhanced performance, and to protect new and used Heavy Duty and High Performance transmissions, gear boxes and engines.



Product #	Format
20130	Quart
20131	Gallon

Heavy Duty Oil Stabilizer

- Controls noise, heat and wear in manual transmissions and differentials.
- Use in gear oil to stop leaks, reduce operating temperatures and increase the life of the gear oil.




Product #	Format
20001	Quart
20002	Gallon

AUTOMOTIVE CHEMICALS

Engine Oil Stop Leak

- All new formulation of Lucas additives and very specific base stocks designed to stop seal leaks in engines!
- Compatible with petroleum, semi-synthetic and full synthetic motor oils.
- Renews worn seals with no risk of damage or eventual corrosion.



	277
	10278

TKO 2000 Fuel System Tune-Up Fluid

- Extremely concentrated formula that provides rapid clean-up of fuel injector, intake valve and combustion chamber deposits.
- Restores, protects and maximizes engine performance in gasoline powered vehicles.
- OEM specified formula.
- 100% Money Back Guarantee.




	201
	835

AUTOMOTIVE CHEMICALS

Fuel treatment

- Formulated for both gasoline and diesel engines, carbureted or fuel injected; use it to pass smog tests.
- Cleans and lubricates the fuel system, neutralizes low sulfur fuel problems, increases power and miles per gallon by burning excess exhaust emissions, and increases the life of pumps and injectors.

	277
---	-----


Product #	Format
20003	Quart
20013	Gallon
20020	5.25 oz.



Octane Booster

- Tested and proven to deliver three times more boost than most other brands.
- Safe for turbos, oxygen sensors and catalytic converters, suitable for use in fuel injected and carbureted engines.
- Promotes clean fuel burn for fewer emissions.
- Not street legal.
- One 15 oz bottle treats up to 25 gallons of fuel.




	277
	20028

AUTOMOTIVE CHEMICALS

Fuel Stabilizer

- Prevents gasoline break-down during storage.
- Safe to use in all grades of gasoline and in all 2 and 4 cycle engines.
- 1 ounce treats 1 gallon.

	277
	20302



Fuel Stabilizer

- Use in cars, trucks, boats, motorcycles, garden tractors, snowmobiles, snow-blowers, lawn mowers, chain saws, 2 cycle and 4 cycle engines.
- Keeps fuel fresh during extended storage for easier start next season.
- Good for all grades of gasoline, ensures fuel stability for 1 year.
- Size: 350 ml.

	201
	790



AUTOMOTIVE CHEMICALS

Injector Kleen Cleaning Fluid

- Cleans and protects fuel injector system, reduces gum and deposits on port injectors and pintles, and reduces exhaust emissions.
- Methyl hydrate free and oxygen sensor/catalytic converter safe.
- Size: 395 ml.

	201
	695



Transmission Fix

- Non-solvent formula that stops slip, hesitation and rough shifting in worn transmissions and completely eliminates most seal leaks.
- Also used in light duty manual transmissions to increase shifting ease and transmission life.

	277
	20009



Rad Seal Radiator Stop Leak

- Powdered metallic sealer designed to instantly seal leaks in radiators, motor blocks, cylinder heads and freeze plugs.
- Aluminium safe.
- Size : 21 g.

	201
	714



AUTOMOTIVE CHEMICALS


Dielectric Tune-Up Grease



Power Steering Stop Leak

- Guaranteed to stop seal leaks in power steering units and corrects rack and pinion problems.
- Totally effective in reducing slack, squeals, and hard spots in worn rack and pinions.
- Size: 12 oz.



	203

	277
	20008

Product #	Format
31880	5 g sachet
67VR	9.5 g tube
22064	85 g tube
22065	85 g spray can

AUTOMOTIVE CHEMICALS

Diesel Fuel Conditioners

- Proprietary formula designed for diesel fuel.
- Eliminates varnish and sludge, reduces corrosion, prevents stalling and frozen fuel lines, retards wax formation.
- Contains anti-gel properties.

	201

Product #	Size
991	150 ml
992	500 ml
993	1 L
994	4 L
995	20 L
998	205 L



Power Steering Fluid

- Meets the service fill requirements of all North American car and truck manufacturers, plus many imports except Honda and Audi vehicles.
- Prevents foaming.
- Works at low temperatures and resists high temperature.

	201

Product #	Size
583	350 ml
585	500 ml
586	1 L
587	4 L




AUTOMOTIVE CHEMICALS

Power Steering Fluid

- Meets or exceeds technical specifications GM9985010, DaimlerChrysler MS5931 and Ford ESW M2C128D.




	424
---	-----

Product #	Size
15-881	1 L
15-883	350 ml

TurboPower® Brake Fluid DOT 3

- Protects the metal components of the braking system, controls elastomer swell thereby ensuring efficient seal performance and provides the required lubricity to all moving parts.
- Meets the performance requirements of FMVSS-116, and SAE J1703.



	424
---	-----

Product #	Size
15-813	350 ml
15-810	500 ml
15-811	1 L
15-814	13.78 L
15-815	18.9 L

AUTOMOTIVE CHEMICALS

Brake Fluid


- For drum, disc, ABS braking systems and clutch systems.



Non-Chlorinated Brake and Parts Cleaner

- Penetrates, dissolves and removes dirt and oil from brake systems and metal parts.
- Safer for aluminium.



	203
	29213

	201

Product #	Grade	Size	Minimum Dry Boiling Point	Minimum Wet Boiling Point
525	DOT 3	350 ml	246°C (475°F)	140°C (284°F)
527	DOT 3	500 ml	246°C (475°F)	140°C (284°F)
528	DOT 3	1 L	246°C (475°F)	140°C (284°F)
529	DOT 3	4 L	246°C (475°F)	140°C (284°F)
530	DOT 3	20 L	246°C (475°F)	140°C (284°F)
532	DOT 4	350 ml	246°C (475°F)	160°C (320°F)
535	DOT 5	350 ml	315°C (600°F)	N/A

AUTOMOTIVE CHEMICALS

Brake & Parts Kleen Flo

- Removes brake fluid, oil, grease, transmission fluid, brake dust and other contaminants from all types of brake assemblies.
- Dries quickly leaving no residue and very little odour.
- Format: 300 g aerosol.



	201
	313

Eze-Slide Brake Lubricant

- Silicone-based lubricant specifically designed to withstand extreme operational temperatures associated with heavy braking.
- Prevents corrosion of sliding caliper pins to keep brake pads from wearing unevenly.
- Format: 170 ml tube.



	201
	331

Brake & Electrical Contact Kleen Flo

- Non-conductive for cleaning electrical equipment including alternators, distributors, dynamos, switches, relays, regulators and small electric motors.
- Suitable for air brake components, non-flammable.
- Format: 672 g aerosol.



	201
	325

AUTOMOTIVE CHEMICALS


Ultra Disc Brake Caliper Lube

- Environmentally-friendly, green, nonmelting, synthetic lubricant.
- Formulated to lubricate under the most adverse brake conditions, assuring that critical caliper pins, sleeves, bushings and pistons remain lubricated throughout pad life.


Disc Brake Quiet Fluid

- Stops brake squeal by dampening vibration at caliper/brake pad interface.



	203

Product #	Format
31877	5 g sachet
22063	80 ml tube
09125	236 g brush-top bottle

	203

Product #	Format
126VR	14.8 ml sachet
127MA	255 g aerosol
31868	118 ml bottle



AUTO DETAIL CHEMICALS



AUTO DETAIL CHEMICALS

Wash'Wax Liquid Shampoo and Waxing System

- Designed originally for professional car wash operators.
- Dries without spotting or streaks.




	210
---	-----

Product #	Format
851	455 ml
852	4 L
853	20 L

TurboPower® Bug Wash

- Designed specifically as a summer windshield washer to keep windshields clear from road grime and splattered insects.
- Size: 4 L.




	424
	15-214

Multi-Purpose Auto Cleaner

- All-in-one cleaning solution for that “just detailed” look.
- Effective for the whole car: dash, vinyl, fabric, carpet, clear plastic, console, and more!
- Size: 600 ml.



	219
	78172

AUTO DETAIL CHEMICALS

Orange Cleaning Wipes

- Specially formulated with degreasers to break up tough dirt leaving behind a crisp, clean, citrus fragrance.
- Great for the whole car (dash, vinyl, fabric, carpet, consoles, leather, and more)!
- 25 wipes.



	219
	10925

Cleaning Wipes

- Specially formulated to clean the car dash, vinyl, fabric, carpet, consoles, leather, and more!
- 25 wipes.




	219
	10869

Glass Wipes

- Specially formulated for the toughest automotive jobs, where clean windows matter most, to deliver spotless, streak-free, sparkling glass with amazing clarity and shine!
- 25 wipes.




	219
	10850

No Touch® Auto Glass Stripper®

- Heavy-duty cleaner specially formulated for auto windshields.
- Removes silicone build-up, hard water stains, mud, oil, bugs, and tar that other cleaners cannot.



	203
	C23319

AUTO DETAIL CHEMICALS

Glass Kleen Industrial Glass Cleaner

- Concentrated, all purpose glass cleaner rapidly removes road film and dust.
- Ideal for auto, marine, fleet and home use.
- Cleans windows, mirrors, formica and porcelain.
- Specially formulated for body shops and industrial use.



	201
	1885

Engine Kleen Industrial Engine Cleaner

- Double action cleans off oil and grease plus dried-on dirt, removes oil stains from concrete garage floors.
- Will not affect rubber, metal, plastic or painted surfaces.
- Suitable for cleaning car, truck, motorcycle, outboard motors or garden power equipment.
- Size : 454 g.




	201
	824

No Touch® Original Tire Care

- Leaves a rich, satin finish and a protective barrier that prevents surface cracking and discoloration while helping to repel dirt, dust and moisture.




	203
	NT21

AUTO DETAIL CHEMICALS

No Touch® High Shine Tire Care

- Provides twice as much shine as the old High Shine formula.
- Patented formula deep cleans and protects while leaving a long lasting high gloss shine.
- Just spray and walk away!



	203
	NTHS21

Original Protectant

- New! Improved UV Protection Armor All® Original.




	219
---	-----

Product #	Size
10125	118 ml
11300	300 ml
12035	1,89 L

Original Protectant Wipes

- Proven protection of Armor All® Protectant in convenient, disposable wipes.
- Helps prevent cracking, fading, discoloration and premature aging.
- Renews and revitalizes vinyl, rubber and plastic.
- Lint-free / Will not leave greasy residue on hands.
- 25 wipes.




	219
	10859

AUTO DETAIL CHEMICALS

Leather Wipes

- Luxurious, disposable wipes.
- Cleansing agents reach into the grain of the leather to safely remove dirt and soil.
- Conditioners enhance leather's rich, natural beauty and restore its supple feel.
- Powerful blocking agents help protect against spills, stains, cracking, fading, discoloration and premature aging.
- 20 wipes.



	219
	10856



WINTER CHEMICALS



WINTER CHEMICALS

AutoExtra Windshield Washing Fluid

- Rating: -40 degrees.



	424
	00001

AutoExtra Universal Radiator Antifreeze

- Prevents pitting caused by cavitations and corrosion of brass, copper, solder, steel, cast iron and aluminum.
- ASTM D-3306, D-4985, DaimlerChrysler MS7170, Ford ESE-M97B44-A, GM 1825M, 1899M, TMC RP 302B.
- Low silicate, aluminum compatible.




	424
	00002

WINTER CHEMICALS

Zerex® Dex-Cool® Antifreeze/Coolant


- Size: 3.78 L



	210
	575284

Zerex® Extended Life Antifreeze ZXEL1




	210
	3495

Extended Life 50/50 Premix Antifreeze/Coolant

- 250,000 km or 5 years service life protection in automotive.
- Silicate, borate, phosphate, nitrite and amine free.
- PREMIXED- No additional water required.
- ASTM D-3306, Japanese Standard JIS K2234, Ford WSS-M97B44-D, GM 6277, VW TL 774D.



	424
	16-384

WINTER CHEMICALS

Supreme Gas Line Antifreeze

- A year round product - Prevents frozen gas lines during winter and vapour lock during summer.
- Specially designed for fuel injected engines.
- Size : 150 ml.



The kleen-flo	201
	409

Universal Gas Line Antifreeze

- Helps to dry moisture in fuel tanks and lines and prevent lines from freezing.
- Also helps ensure easy starting in cold weather.
- Size: 150 ml.



	424
	15-336

WINTER CHEMICALS

Extreme Cold Weather Fuel Treatment

- Developed to eliminate fuel gelling problems in the most extreme conditions.
- Prevents fuel thickening.
- Lubricates fuel for increased PMG.
- Size: ½ gallon (treats 250 gallons of fuel).



	277
	20021

Lock De-Icer

- Instantly de-freezes all types of locks and lubricates internal lock mechanism.
- Safe on all automotive finishes.



	201
	612

WINTER CHEMICALS

Kleen-Start Starting Fluid

- Priming fluid formulated to spray at extreme sub-zero temperatures - effective to -53°C (-63°F).
- Can is designed to fit all standard injection brackets.
- Instantly starts all types of gasoline and diesel engines, and contains an upper cylinder lubricant to reduce dry-start engine wear.




	201
	730

Quick-Melt Ice Melter

- Quickly eliminates ice and snow from steps, sidewalks, driveways, parking lots and roads, without harming plants, shrubs or grass.
- Works faster than salt, and does not flow or roll away.



	201

Product #	Size (kg)
780	3.6
781	6.81
782	2.7
784	20
785	40





CLEANERS & SOLVENTS



CLEANERS & SOLVENTS

Engine Shampoo

- Safely cleans and shampoos trucks, cars, construction, marine and motorcycle engines.
- Will not harm paint or electrical wiring.

	201

Product #	Size (L)
645	4
646	20
649	205



Carburetor and Metal Parts Cleaner

- Rapidly cleans finely machined metal parts without requiring complete disassembly.
- Ideal for carburetors, fuel pumps, pistons, connecting rods, chains and other engine parts.
- Easy to use formula, simply soak and rinse with water.

	201

Product #	Size (L)
651	4
652	9,1
653	20



CLEANERS & SOLVENTS

Kleen-Solv Multi-Purpose Cleaning Solvent


- Can also be used as a thinner for paints and varnishes.



Product #	Size (L)
116	20
117	205

Varsol™


- Cleans and degreases floors, ceramic tiles and concrete surfaces.
- Thins oil based paints, varnishes and polyurethanes.
- Cleans brushes and rollers.
- Removes oil and grease.
- Degreases tools in the workshop.



Product #	Size (L)
13-371	1
13-374	3.78

Methyl Hydrate

- Cleans windows, when mixed with water.
- Fuels fondue stoves, marine unpressurized alcohol.
- Dissolves gums, resins, and celluloid.



Product #	Size
13-390	500 ml
13-391	1 L
13-394	4 L




CLEANERS & SOLVENTS

Solvent

- For oil and grease, thinning varnishes and oil-based paints, and for cleaning up around the shop.



	424
---	-----

Product #	Size (L)
13-221	1
13-224	4
13-228	18.9

Battery Acid


- 20 L.



	420
	997140




LIGHTING & ELECTRICAL



LIGHTING & ELECTRICAL

Fluorescent Light Tubes


- Cool White Ecolux® Watt-Miser® T12.



Product #	Model	Wattage	Voltage
F34CWRSWMECO	T12	34 W	79 V
F96T12/CW/WM	T12	60 W	157 V

Rough Service Incandescent Light Bulbs

- Specially designed with rugged filaments and mounts to withstand rough handling and shock better than regular household bulbs.



Product #	Model	Wattage	Voltage
60A/S130-PK2	72529	60 W	120 V
100ARS130-12	72527	100 W	120 V

LIGHTING & ELECTRICAL

13W Fluorescent Work Light Bulb



	161
	SL-103

Halogen Worklight Bulbs



	161

Product #	Wattage	Pack
SL-209PDQ	500 W	Single
SL-225PDQ	500 W	Twin
SL-230PDQ	300 W	Twin

LIGHTING & ELECTRICAL

Single-Tap Extension Cords



Product #	Type	Cord Jacket	Length	Cord Gauge
SL-725	Single-tap, non-lighted	SJTW – 13A	25'	16/3
SL-750	Single-tap, non-lighted	SJTW – 13A	50'	16/3
SL-751	Single-tap, non-lighted	SJTW – 13A	100'	16/3
SL-752L	Single-tap, lighted	SJTW – 15A	25'	14/3
SL-753L	Single-tap, lighted	SJTW – 15A	50'	14/3
SL-754L	Single-tap, lighted	SJTW – 13A	100'	14/3
SL-757L	Single-tap, lighted	SJTW – 15A	25'	12/3
SL-758L	Single-tap, lighted	SJTW – 15A	50'	12/3
SL-759L	Single-tap, lighted	SJTW – 15A	100'	12/3

LIGHTING & ELECTRICAL

All-Season Single-Tap and Lighted End Extension Cords



Product #	Type	Cord Jacket	Length (feet)	Cord Gauge
SL-725	Single-tap, non-lighted	SJTW – 13A	25'	16/3
SL-750	Single-tap, non-lighted	SJTW – 13A	50'	16/3
SL-751	Single-tap, non-lighted	SJTW – 13A	100'	16/3
SL-752L	Single-tap, lighted	SJTW – 15A	25'	14/3
SL-753L	Single-tap, lighted	SJTW – 15A	50'	14/3
SL-754L	Single-tap, lighted	SJTW – 13A	100'	14/3
SL-757L	Single-tap, lighted	SJTW – 15A	25'	12/3
SL-758L	Single-tap, lighted	SJTW – 15A	50'	12/3
SL-759L	Single-tap, lighted	SJTW – 15A	100'	12/3

LIGHTING & ELECTRICAL

Tri-Tap Extension Cords



Product #	Type	Cord Jacket	Length	Cord Gauge
SL-763	Tri-tap, non-lighted	SJTW – 13A	6.5' / 2m	16/3
SL-764	Tri-tap, non-lighted	SJTW – 13A	9.6' / 3m	16/3
SL-767	Tri-tap, non-lighted	SJTW – 13A	16.4' / 5m	16/3
SL-768	Tri-tap, non-lighted	SJEOW – 13A	16.4' / 5m	16/3
SL-735L	Tri-tap, lighted	SJTW – 15A	6'	12/3
SL-740L	Tri-tap, lighted	SJTW – 15A	25'	14/3
SL-741L	Tri-tap, lighted	SJTW – 15A	50'	14/3
SL-745L	Tri-tap, lighted	SJTW – 13A	100'	14/3
SL-746L	Tri-tap, lighted	SJTW – 15A	25'	12/3
SL-747L	Tri-tap, lighted	SJTW – 15A	50'	12/3
SL-748L	Tri-tap, lighted	SJTW – 15A	100'	12/3

LIGHTING & ELECTRICAL

Replacement Electrical Plugs



Product #	Type
SL-151	Male, 3-prong
SL-152	Female, 3-prong

Tri-Tap Adapter

SL-154



6-Way Outlet Strip with Surge Protector

SL-736

- SJT 14/3 cord
- 4.5' cord length.



BAYCO

161

LIGHTING & ELECTRICAL

ATO® (Autofuse®) Blade Fuses

- Voltage rating characteristics: 32V AC/DC fast-acting.
- Approvals: UL listed, CSA certified 3-30A, SAE J1284.



Amps	Color	Product # (Boxed)	Product # (Carded)
1A	Black	ATO1	ATO1BP
2A	Gray	ATO2	ATO2BP
3A	Violet	ATO3	ATO3BP
4A	Pink	ATO4	ATO4BP
5A	Tan	ATO5	ATO5BP
7.5A	Brown	ATO7.5	ATO7.5BP
10A	Red	ATO10	ATO10BP
15A	Blue	ATO15	ATO15BP
20A	Yellow	ATO20	ATO20BP
25A	Clear	ATO25	ATO25BP
30A	Green	ATO30	ATO30BP
40A	Orange	ATO40	ATO40BP

LIGHTING & ELECTRICAL

Mini® Blade Fuse

- Voltage rating characteristics: 32V AC/DC fast-acting.
- Approvals: SAE J2077.



Amps	Color	Product # (Boxed)	Product # (Carded)
2A	Gray	MIN2	MIN2BP
3A	Violet	MIN3	MIN3BP
4A	Pink	MIN4	MIN4BP
5A	Tan	MIN5	MIN5BP
7.5A	Brown	MIN7.5	MIN7.5BP
10A	Red	MIN10	MIN10BP
15A	Blue	MIN15	MIN15BP
20A	Yellow	MIN20	MIN20BP
25A	Clear	MIN25	MIN25BP
30A	Green	MIN30	MIN30BP

Maxi™ Blade Fuses

- Voltage rating characteristics: 32V AC/DC Slo-Blo.
- SAE J1888 approved.



Amps	Color	Product # (Boxed)	Product # (Carded)
20A	Yellow	MAX20	MAX20BP
30A	Green	MAX30	MAX30BP
40A	Orange	MAX40	MAX40BP
50A	Red	MAX50	MAX50BP
60A	Blue	MAX60	MAX60BP
70A	Tan	MAX70	-
80A	Natural	MAX80	MAX80BP

LIGHTING & ELECTRICAL

Automotive Bulbs




AUTO EXTRA	472
-------------------	-----

Miniature Automotive Bulbs

- Meets all OE specifications.



	703
---	-----

Product #	Description
U67	Miniature Bulb
U89	Miniature Bulb
U194	Miniature Bulb
U1156	Miniature Bulb
U1157	Miniature Bulb
U1157NA	Miniature Bulb
U1895	Miniature Bulb
U2057	Miniature Bulb
U3057	Miniature Bulb
U3156	Miniature Bulb
U3157	Miniature Bulb
U3157NA	Miniature Bulb
U9004	Head Lamp
U9005	Head Lamp
U9006	Head Lamp
U9007	Head Lamp

Product #	Description
67	Miniature Bulb
89	Miniature Bulb
194	Miniature Bulb
1156	Miniature Bulb
1157	Miniature Bulb
1157NA	Miniature Bulb
1895	Miniature Bulb
2057	Miniature Bulb
3057	Miniature Bulb
3156	Miniature Bulb
3157	Miniature Bulb
3157NA	Miniature Bulb

LIGHTING & ELECTRICAL


Regular Headlamps

- Meets all OE specifications and DOT approved.
- Models available: 9003, 9004, 9005, 9006 and 9007.



NightHawk™ Headlamps

- Provides 30% more output VS conventional products.
- Meets all OE specifications and DOT approved.
- Models available: 9003NH/BP2, 9004NH/BP2, 9005NH/BP2, 9006NH/BP2 and 9007NH/BP2.





SHOP TOOLS AND ACCESSORIES



LIGHTING & ELECTRICAL

Utility Knives



Product #	Description	Replacement Blades (6pk)
L650	Auto-lock	L500B
L500	Thumb screw lock	L500B
L750	Auto-load	L500B
L300	Mini auto-lock	L300B
KU18A	18 mm ABS	L500B
KU19A	9 mm ABS	L300B

Retractable Utility Knife



Product #	Description	Replacement Blades (16pk)
RK1	Retractable	RKB1

LIGHTING & ELECTRICAL

Retractable Blade Scraper and Razor Blades



No de product	Description	Replacement Blades (5pk)	Replacement Blades (100pk)
RB1	Retractable	RB2	RB3

Industrial Funnels

- Flexible and dent-proof.
- 100 mesh filter.



Product #	Diameter (inches)	Capacity
13003	3	6 oz (177 ml)
13005	5	24 oz (710 ml)
13008	8	120 oz (3.5 L)
13009	9	144 oz (4.26 L)
13015	5 (anti-splash)	24 oz (710 ml)
13019	9 (anti-splash)	144 oz (4.26 L)

LIGHTING & ELECTRICAL

Multi-Purpose Funnels

- Flexible and dent-proof.



Product #	Diameter (inches)	Capacity
13504	4	8 oz (237 ml)
13505	5	14 oz (414 ml)
13506	6	32 oz (946 ml)
13508	8	120 oz (3.55 L)
13010	10	160 oz (74.73 L)

Transmission Funnels



Product #	Diameter (inches)	Description
14014	6.5	Transmission funnel with 14" spout
14008	7	Offset transmission funnel – 2L capacity

LIGHTING & ELECTRICAL

Tractor Funnel

- Galvanized steel.
- 9-1/2" diameter, 8 Qt. capacity.



	622
	13811

Super Funnel

- 5" diameter, 18" length.



	622
	14018

Battery Filler

- 1/2 gallon (2 L) capacity.



	622
	14024

Radiator Filler

- 2-1/2 gallon (9.3 L) capacity.



	622
	14030

LIGHTING & ELECTRICAL

Measuring Container

- With lid and nozzle.
- 152 oz. (4.5L) capacity.



	622
	14045

Jerry Cans



	830

Product #	Model	Description	Volume
07539	AB25	Jerry can	6.6 gallons / 25 L
07622	AB20	Jerry can	5.3 gallons / 20 L
07079	AB10	Jerry can	2.5 gallons / 10 L
07081	AB5	Jerry can	1.25 gallons / 5 L
07649	D20	Diesel jerry can	5.3 gallons / 20 L
03609	RV520	Gas jerry can (Jeep-style)	5.3 gallons / 20 L
03711	D520	Diesel jerry can (jeep-style)	5.3 gallons / 20 L

LIGHTING & ELECTRICAL

Gas/Oil Chainsaw Combo Can

- Model J63 6L gas / 2.25L oil chainsaw combo can.



Scepter	830
	03615

Drain Pans



Scepter	830

Product #	Model	Description	Volume
03894	DP184	Round drain pan	5 gallons / 18 L
06985	DP15	Square drain pan	5 gallons / 18 L
06976	DP15A	Square antifreeze green drain pan	5 gallons / 18 L

INDEX



INDEX

Adhesive, Glue.....	94, 95
Adhesive, Mirror.....	108
Adhesive, Sealant.....	96, 97
Adhesive, Silicone.....	96
Adhesive, Weatherstrip.....	109
Air Chucks.....	78
Air Chucks, Clips.....	78
Antifreeze.....	142 - 144
Bags, Garbage (poly).....	60
Bags, Paper.....	60
Bags, Tire.....	80
Battery Acid.....	150
Bench Grinding Wheels.....	7
Blades, Chop Saw.....	5
Blades, Hacksaw.....	5
Bolts.....	28
Brakes, Additives.....	131, 132
Brooms.....	61
Brushes, Paint.....	12, 13
Brushes, Parts Cleaning.....	12
Brushes, Stainless Steel.....	10
Brushes, Wire.....	6, 7, 10
Cable Ties.....	35
Chamois.....	69
Clamps.....	30 - 33
Cleaners and solvents.....	149, 150
Cleaners, Absorbent.....	66
Cleaners, Automotive.....	136, 138, 139
Cleaners, Brakes.....	132 - 134
Cleaners, Detergent.....	65
Cleaners, Engine.....	138, 148
Cleaners, Hand.....	49, 50
Cleaners, Injectors.....	128
Cleaners, Metal.....	148

Cleaners, Sweeping Compound.....	65
Cleaners, Wipes	137, 139, 140
Cloth Rolls	8
Containers	167, 168
Couplers and Plugs.....	76, 77
Ear Plugs.....	40, 41
Electrical Plugs.....	157
Extension Cords.....	154 - 156
Fittings.....	26
Fuel, Additives	125 - 127, 130, 145, 146
Funnels	165 - 167
Fuses, Blade	158, 159
Gasket Makers.....	97 - 102
Gasket Remover.....	108
Gasket, Sealant	101
Gauges, Tire	82, 83, 101
Glasses	40
Gloves.....	43, 44
Grease.....	112 - 114
Grease, Tune-Up	129
Hoses, Air	73
Hoses, Nozzles	72
Hoses, Water	72, 73
Ice Melter.....	146
Jerry Cans	168, 169
Lighting, Automotive.....	160, 161
Lighting, Fluorescent.....	152, 153
Lighting, Halogen	153
Lighting, Incandescent	152
Lock De-Icer.....	145
Lubricants.....	116, 117

INDEX

Lubricants, Anti-Seize.....	109
Lubricants, Brakes	133, 134
Metal Sheets	27
Mops.....	61
Oil, Additives.....	124, 125, 128 - 131
Oil, Gear.....	114, 115
Oil, Hydraulic.....	121
Oil, Tools and Equipment.....	117 - 120
Packaging Tape	110
Paint.....	13, 14
Paint, Pads.....	52
Pans	52, 169
Protection Apparel.....	41
Radiator Stop Leak	128
Respirator	42
Rivets	24, 25
Sandblasting, Aluminium Oxide	9
Sandblasting, Glass Beads	8
Sandblasting, Sand	9
Scrapers.....	165
Sealant.....	100, 102
Sealant, Flange	103
Sealant, Thread.....	103, 104
Squeegees.....	62 - 64
Stretch Film	169
Tape, Dispenser.....	110
Tape, Duct.....	106
Tape, Masking	106, 107
Tape, Muffler	110
Tape, Teflon	104
Terminals.....	29, 34

Threadlocker	105
Tire Bags	80
Tire Marking Crayons	84
Tire Patches	82, 83
Tire Plugs.....	85
Tire Repair Cement	84
Tire Repair Kit.....	84
Tire Valve Caps.....	81
Tire Valve Cores	81
Tire Valves	80
Tissues, Bathroom	45
Tissues, Facial	47
Towel Rolls	46
Towels.....	47, 48, 57,58
Tubing, Shrinkable.....	34
Tubing, Steel	27
Utility Knives	164
Wash Bucket.....	69
Wash Mitt	68
Wash Sponge.....	68
Welding, Bonding compound.....	94
Welding, Flux	18
Welding, Fuel Cylinders	20 - 22
Welding, Lighters and Flints	17
Welding, Rods.....	16
Welding, Solder	18, 19
Welding, Wire	16, 17
Wheel Weights.....	85 - 92
Wheels, Cut-Off.....	4
Windshield Washing FLuid	142
Wipes.....	52-56,58
Wire, Metal	35
Wires.....	36, 37

3M



AUTO EXTRA

BAYCO

BERNZOMATIC

Canablast

citation



DAYCO



DYNALINE



Firepower



Grote
The first name in
vehicle safety systems.



KD Tools

Kimberly-Clark

kleen-flo

LAURETIDE

Littelfuse



Mann

MERCATOR GLOBAL SERVICES INC.

MILTON INDUSTRIES, INC.

papco



Permatex

plasti-kote
SPRAY PAINT A Major Company



Scepter

BALCAN PLASTICS

Superex

TRIDON

TRU-FLATE

unisource



WESTWARD



3M



AUTO EXTRA

BAYCO

BERNZOMATIC

Canablast

citation



DAYCO



DYNALINE



Firepower



Grote
The first name in
vehicle safety systems.



Kimberly-Clark

kleen-flo



Littelfuse



Mann



MILTON INDUSTRIES, INC.

papco



Scepter

BALCAN PLASTICS

Superex

TRIDON

TRU-FLATE

unisource



WESTWARD





Actual product may differ from photo.

Code 980 11CMBSE2009

Price: \$4.50

