



- Current DC: 60m/600m/6/20A - AC: 60m/600m/6/20A

MÄKTIG™ 449/MTL - 602502

- Resistance: 600/6k/60k/600k/6M/60MΩ.



- Comfortable ergonomic design Flexible gooseneck for infinite directional capacity Dual heads can be controlled by either switch Strong magnetic backing to easily mount on metal
- Max. brightness: 300 lm (full) /150 lm (half) Runtime: 3 hours (full) / 6 hours (half).

MAKTIG™ 443/MAI - 703043

100% Synthetic Engine Oil



Part No.	Format	Grade
S0205X1		0W20
S5205	5L	5W20
S5305X1]	5W30



Part No.	Format	Grade
S020473X1M		0W20
S520473M	1 Gallon	5W20
S530473X1M	ĺ	5W30

EUREZONE

EAST 200/PRZ - WEST 202/PZW

Rain-X Clearview Windshield Washer -45°C CLEARVIEW (

Offers a coating for rain and snow.





424/REC - 35-444RXX52

Battery Chargers

- Fan cooling mechanism prevents overheating enhancing unit's life span
- significantly
 CSA listed with "Safe in Any Weather" operation
 Patented "Flexi-Spring" cable
- guards relieve cable stress 2-years bumper to bumper wárranty
- Five-Year limited warranty on transformer and rectifier.







597/GGI


WINTER SEASONAL





UltraSafe Lithium Jump Starter

- Portable li-ion battery jumpstarter pack
- Charges USB devices
- Up to 20 jumpstarts on a single charge.





5290

12V UltraSafe Lithium Jump Starter -**Extreme Series**

- Portable lithium jump starter for 12-volt batteries in vehicles such as cars, motorcycles, trucks, ATVs, boats, RVs, vans, SUVs tractors and
- Goes from 0% to jump starting in just 5 minutes of charge!







Onboard Smart Battery Charger/ Maintainer/Desulfator, 2-Amp, 12 V

- Battery Charger & Maintainer is designed for 12-volt lead-acid batteries, including most flooded, gel, AGM, and maintenance-free, as well as automotive, marine, RV, and deep-cycle




GB50

Part No.	Cranking Assist Rating (A)	Price
GBX45	1250	164 00
GBX55	1750	229 ⁰⁰
GBX75	2500	32900
GBX155	4250	46900









179⁰⁰

6029

125

0-16V DC

2 14/2

300 A



MÄKTIG

High-Performance LED Flashlight

- Max.output: 100 Lumens (high mode), 30 Lumens (low mode)
- Beam distance: 50 m

- Battery run times: 1.5 hours (high), 3 hours (low)
 Impact resistant and IP54 water resistant
 Anodized aluminum body with tactical clip, magnetic base

705731 705742

- Operates on 2 AAA batteries (included).





703305

34⁹⁰

resistant up to 1 m.

702245

12⁹⁰



Professional Rechargeable LED **Work Light**

Sturdy poly-rubberized housing, adjustable dial switch (60 to 700 lumens) and battery indicator Charges in 4 hours.

703041 66⁹⁰



703042

- Magnetic Handle.





Booster Cables

Part No.	Description	Cord Gauge	Length (ft)	Clamp	Temp.	Price
705731	Super Heavy-Duty Cables	6 AWG	12	400 Å	•	58 90
705742	Heavy-Duty Cables	4 AWG	16	400 A		104 ⁰⁰
705753	Professional Cables	2 AWG	20	500 A	-50°C (-58°F)	19900
705763	Commercial Cables	1 AWG	20	800 A	(30 1)	224 ⁰⁰
705764	Commercial Cables	1 AWG	24	800 A		264 ⁰⁰



- Fluo green.



Part No.	Taps	Cord (ft)	Caliber	Price
704262	Single Tap	25'	16/3SJTOW	22 ⁹⁰
704263	Single Tap	50'	16/3SJTOW	41 ⁹⁰
704272	Single Tap	25'	14/3SJTOW	32 ⁹⁰
704273	Single Tap	50'	14/3SJTOW	56 90
704282	Single Tap	25'	12/3SJTOW	44 ⁹⁰
704283	Single Tap	50'	12/3SJTOW	76 90

Energizer.

Alkaline Batteries

- 12 pack.

Part No.

EN95

EN93

EN22



Battery Size Pack Price 23⁸⁸ D 19⁰⁸ C 35⁸⁸

Lithium Coin 3 V Battery

- 1 per card.

- Model 2016.

ECR2016BP **2**99







YOUR BATTERY SHOULDN'T **LEAVE YOU STRANDED**

And yet, cold winter weather could drain it in a matter of hours.

> Be ready all year long with our wide selection of batteries for your vehicle!



WINTER SEASONAL



		CARROLL STATE	
Part No.	Description	Blade Width	Price
AP139KDR	Equipped with a galvanized steel wear strip to prolong the life of your shovel	13.9"	27 ⁹⁰
NP139KD	Nordic - Designed to clear away narrow surfaces such as stairs, entrances and paved walkways	13.9"	19 90
GP110TSKDV	Equipped of a telescopic sturdy handle, this shovel is small enough not to encumber your car but strong enough to help you in case of need.	10.75"	2090



Snow Brushes

Part No.	Description	Length	Price
BZ35SBV	Blizzard - ABS ice scraper, aluminum handle, in shelf display, comfort foam grip	35"	10 90
G36SBMSV	Garant - EVA foam complete head, in display Clear away snow without leaving scratches with the new Garant snow brush!	36"	22 ⁹⁰
G52PSBT	Garant - Pivoting Eva head, display of 12 A technology that is much gentler on the body of your car	Telescopic 52"	33 ⁹⁰





Ice Scraper, 7" Blade, 48" Wood Handle, Nordic

It is equipped with a stamped and tempered steel blade for maximum strength.

NHSW7 23⁹⁰



37012 55⁹⁰

Snow Pushers

Scraper

plastic handle.

Part No.	Description	Blade Width	Price
NPP21KD	Nordic - wood handle An ideal product for clearing snow from your asphalt or paving stone driveway	21"	19 ⁹⁰
APP21KDR	Alpine Equipped with a galvanized steel wear strip to prolong the life of your shovel	21"	27 ⁹⁰
NPP26KD	Nordic - wood handle An ideal product for clearing snow from your asphalt or paving stone driveway	26"	27 ⁹⁰



varnished ash handle.

- This tool has a light and resistant polyethylene blade that does not damage roofs.

GPRR24T 66⁹⁰





S24-898 2⁴⁹ - 10" head, durable

24" force snow brush

- Molded contour grip and FORCE™ blade ice chippers to cut throught thick ice.



S24-523FB 499

26" Cool Force Snowbrush

- Curved handle and foam grip for ergonomic and comfort design.



S24-532FB 799

583EP

18⁹⁰

14039C

36" Telescoping Snow Broom - 23 to 36" handle, 7" brush/squeegee combination head - Highest quality and most economical price.

35" Maxx Snow Broom

- Strong ice scraper and thick, full brush - Extra-long, lightweight aluminium pole.

511-E **11**90

889-35

839



50" Telescopic Crossover Snowbroom

Push button pivoting head can be used as a brush or a broom
 Quick locking handle extends reach up to 50-in
 Wide scraper blade removes

frost and ice easily.



Long Reach Pivot Head Sport Telebroom with 10" Head
- Foam comfort grip handle, unbreakable ice ripping scraper
and a large surface pivoting brush head for moving snow.





MÄKTIG

Nitrile Dipped Winter Gloves

- Acrylic inside liner for warmth Sandy Finish Texture for grip
- Polyester Nitrile 15 gauge outside liner.

Part No.	Size	Price
903046-M	M	
903046-L	L	7 39
903046-XL	XL	100
903046-XXL	XXL	



Winter Leather Fitter Gloves

- Premium cowhide leather provides quality and durability
- 600 g Extra plush pile liner for added warmth High quality rubberized cuff.

Part No.	Size	Price
903043-XL	XL	
903043-XXL	XXL	11 90
903043-XXXL	XXXL	





JACKSON

QWIKGRIP Ice Cleats

- Adjustable high-visibility reflective elastic strap for added safety
- 8 tungsten carbide spikes per pair, help provide stable grip on icy walking surfaces.







Part No.

V3553270-0/S V3551170-0/S



Headlight Restoration **Spray**

- 3 oz

DTR241 16⁹⁰

204B-21L

204B-21XL

204B-212X

- 10 oz DTR265 39⁹⁰



Ceramic Windshield Coating

> DTR289 20⁹⁰



Ceramic Windshield Coating **Professional** Kit

> DTR272 139⁰⁰



Snappi-Hooker Heavy-Duty Tie Down- Blue cold weather EPDM rubber, good to -40°C - Extra-thick tie-down with TTS hooks.

27800

XL

Part No.	Lengtn (in)	Price
647-431	15"	4 ⁹⁹
647-432	20"	5 99
647-433	30"	7 99

I amount the Control









Pre-Mixed 50/50 Vehicle Engine Coolant, 3.78L

Part No.	Туре	Price
36-184BHUSI	Honda 50/50 (Blue)	14 ⁹⁰
36-184PTUSI	Toyota 50/50 (Pink)	14**
36-324BEUSI	Euro 50/50 (Blue)	15 ⁹⁰
36-324PVWUSI	VW 50/50 (Pink)	15
36-384GRHUSI	Asian 50/50 (Green)	14 ⁹⁰
36-3840GMUSI	GM 50/50 (Orange)	13 ⁷⁰
36-384RTUSI	Toyota 50/50 (Red)	14 ⁹⁰
36-834GFCUSI	Ford/Chrysler 50/50 (Gold)	13 ⁷⁰







Anti-Gel Cold Weather Diesel Treatment

- Lucas Anti-Gel Cold Weather Diesel Treatment is specifically designed to prevent cold filter plugging in diesel and bio-diesel fuels.

Part No.	Size	Price
20865	946 ml	11 ⁹⁰
20866	1.89 L	19 90







Permatex.

Gumout Carb & Choke Cleaner

- Super Jet Spray quickly cuts and removes grease, gum and varnish

- 170 g.

36090 699







Lock-De-Icer

- Instantly de-freezes all types of locks and lubricates internal lock mechanism
- Safe on all automotive finishes 18 g.

612 349



Safe-T-Brake Air Brake **Anti-Freeze**

- Contains Anti-corrosive agent to protects all steel, rubber and brake line parts against corrosion and to minimize wear - 950 ml.

509 699



Supreme Gas Line Anti-Freeze

- Prevents frozen gas lines during winter and vapour lock during summer

- 150 ml.

409 2⁴⁹



Low Sulphur Diesel Fuel Conditioner

- Helps restore lost lubrication from the use of low sulphur diesel fuels

- 1 L.

963 10⁹⁰



Diesel Fuel Conditioner

- Removes varnish and sludge
- Reduces corrosion
- Prevents stalling and frozen fuel lines.

Part No.	Size	Price
991	150 ml	2 ²⁹
993	1 L	9 ⁴⁹





WD40 Multi-Purpose Lubricant

- 3,78 L can.





WD40 Penetrant Oil

01111

- 311 g.



WD40 Rust Release Penetrant

01178

999

- 311 g.



WD40 Multi Use **Product Smart Straw**

- 326 g.









09335 60⁹⁰





Scott™ Shop

Towels Original - Blue, 55 towels per roll,

12 rolls per case.

75147 39⁹⁰



Scott™ **XTREME WIPES**

- 75 counts, 6 canister per case

> 54591 **77**⁹⁰







PURELL® Advanced Hand Sanitizer

- 236 ml bottle.

Purell ADVANCED 9652-12CAN00 **5**³⁹

Scrubbing Wet Wipes

- Extra-large moist towels, dual textured (scrub with one side, wipe with the
- Contains skin conditioners
- Fresh citrus scent
- Pack of 72.

6396-06 16⁹⁰





Permatex.

Fast Orange™ Hand Cleaner/ Lotion with Pumice

- Fortified with aloe, lanolin, glycerin and other skin conditioners
- Fine pumice formula for the toughest dirt
- Low profile 3, 78 L with pump.

25219 **17**90





CB 100™ Ultra-Powerful Natural Cleaner/ Degreaser - Non-caustic,

biodegradable, non-hazardous, phosphate-free, and butyl-free.



- 3.78 L

- 20 L.

53G165 **35**⁷⁰

53G167 155⁰⁰





Industrial Garbage Bags, Black
- Degradable within 12-24 months when disposed of in a landfill
- UL Ecologo® 126 certified product (Environment Canada Program), less harmful to the environment and performs as well as "non-green" product
- Suitable for automotive, industrial, office, school, hotel, hospital use, and more.

Part No.	Grade	Size (in)	Qty	Price
FC202215BL06	Utility	20 x 22	500	16 90
FC303823BL04	Strong	30 x 38	200	25 ⁹⁰
FC303832BL03	Extra-Strong	30 x 38	150	26 ⁹⁰
FC355023BL04	Strong	35 x 50	200	39 90
FC355032BL03	Extra-Strong	35 x 50	150	40 ⁹⁰
FC424823BL04	Strong	42 x 48	200	44 ⁹⁰
FC424832BL03	Extra-Strong	42 x 48	150	46 ⁹⁰







Mop Head

- Type: Synthetic wet mop

capacity. 24 02.				
Part No.	Description	Color	Price	
3088	Cut end, narrow band	White	7 ³⁹	
3092	Looped end, narrow band	Blue	799	



Double Moss Squeegee

- 22" head

- Tapered handle opening

- Designed to dig deep into crevices and uneven surfaces.



Tapered Squeegee Handle

54" wooden handle, 1-1/8" diameter.

4073 1090

Quick Release Mop Handle

- 54" fiberglass - 60" fiberglass handle. handle.

3119 15⁹⁰

3120 16⁹⁰





LUBRICATION EQUIPMENT











1884 44900



1264 315⁰⁰



- 3/8" x 50' - 1/2" x 50'

83753 **299**00

83754 33400

Air-Operated 50:1 Portable **Grease Pump Package**

- Time-tested, 2-1/2", 50:1, air-operated, double-acting grease

pump - Heavy-duty control valve and universal swivel

- Standard follower wipes 120 lb. drum sides clean and keeps the pump primed - Four-wheel dolly.

917 CALL US



Used Fluid Drain/ **Evacuator Combo**

- 25-gallon welded steel tank supported by heavy-duty 4" swivel casters and 6" fixed-axle wheels

- Powerful compressed-air operated venturi vacuum guickly draws fluids from reservoirs

Includes six evacuation wands of varying flexibility, diameter and length.

3639 83000



1.5 L Fluid Extractor/ Dispenser

- Simple to use and clean, easy to disassemblé

- Durable, serviceable, does not leak.

7900



Part No.	Size	Price
MV7102	2,5 L	28500
MV7105	5 L	305 ⁰⁰
MV7110	10 L	30400
MV7120	20 L	33500

MÄKTIG

Grease Filler Pump

 Complete unit includes zinc plated 18" (457 mm) pump with zinc die cast pump head and cast aluminum adjusting flange, 12" (310 mm) drum cover, follower plate (rubber lining) and female loader fitting For 25-50 lb / 5-gallon /

20-30 kg containers.



304 Stainless Steel Rotary Drum Pump

- For use with 15-55 gallon drums

- Dual directional operation & delivers up to 1 gallon per 20 turns

- Pumps water-based media, antifreeze, acids, chemicals, detergents, lacquer, thinners, petroleumbased media, DEF, etc.

600549 425⁰⁰

Rotary Drum Pump
- Dual Directional Operation which allows the pump to both empty, as well as refill containers

- Sturdy cast iron pump body with precisely machined cast iron vanes for better draw & smoother delivery

For 15 to 55-gallon (50 to



Professional Lever **Grease Gun**

- Flip-style rubber follower for use with grease cartridges and bulk grease Develops 10,000 psi

(690 Bar)

Complete with 6" (150 mm) steel extension & professional 4-jaw coupler.

> 600022 34⁹⁰



Pistol Grip Grease Gun, 14 oz

- Head fitted with steel block nut

- Flip-over follower

- Develops up to 6,000 psi - Includes 18" flexible hose

extension and coupler.

600032 4990



One hand pistol grip grease gun with convenient pull type operating mechanism

- Capacity: 3 oz. (85 g) grease cartridge.





Grease Fitting Assortment

- 100 pieces.

Part No.	Sizes	Price
00112	6	2090
00108	9	2013







Pressurized Used Fluid Receiver Equipped with 2x

4"casters, 2x 10" wheels and draining hose with I hook.









NEW **ITEMS**

Puller

The puller is forged from high quality CR-V steel, heat treated, and subjected to rigorous tests which exceed their rated capacity.



602404 **57**90



7 Pc Ball Joint Kit

 Drop forged steel with black coating treatment to resist corrosion for lifelong performance.

602411 9990



Ball Joint Separator Kit

- Includes 4 interchangeable fork sizes (24mm/27mm/32mm/36mm).

602410 229⁰⁰



Exhaust Pipe Strecther Kit

Collet sets expand pipes from 1-5/8" to 4-1/4", aluminum to stainless steel

28mm size bolt head drives the tool and collet sets to expand pipes from 1-5/8" to 4-1/4".

602430 219⁰⁰

Snap Ring Plier Set

Operates both internal and external rings
 Comfortable insulated

vinyl handles

3990

- Heat treated chromiummolybdenum steel.



Exhaust Tail Pipe Cutter

- 15 hardened steel cutting blades slice through tail pipes with just 90° rotation
- Cuts exhaust pipes from 3-3/4" to 3-1/4" diameter.

602431 4990



3 Pc Hose Pinch Pliers

- Sizes 8" (1.5" jaw contact area), 10" (1.75" jaw contact area), and 12" (2" jaw contact area).





602414

69⁹⁰



Drill Bit Set - Split-point, jobber length drill bit set - Premium quality.

570146 **117**00



Vanadium steel TORQUE DRIVE® sockets (reduces corner rounding and allows 20% more torque).

> 600341 359⁰⁰



42-Piece S.A.E/Metric Socket Wrench Set

602413

6990

- 6-point sockets, 1/4" drive

- High quality Chrome

Vanadium śteel - TORQUE DRIVE® extra-long deep sockets.

600125 129⁰⁰



6-Piece Jet-Kut Premium **Carbide Bur Set**

General purpose, double cut tungsten carbide burs, 1/4" shank.

534202 **109**00



4-Piece Jet-Kut GP **Carbide Bur Set**



10-Piece 3/8-inch Drive Tamperproof TORX Bits Socket Sets - 1/4" DR 1-1/2" (Overall Length).



11-Piece 1/4" & 3/8" Torx Bit

Socket Set
- Includes 1/4" drive x 1-1/2" long sizes: T10, T15, T20, T25, T27, T30, and 3/8" drive x 2" long sizes: T40, T45, T47, T50, T55.



718912

Torque Wrench Standard Duty

- 24-tooth Chrome Vanadium ratchet gear
 Reversible ratchet

- Dual ft-lb and Nm scales
 Patented lock ring
 Comfortable ergonomic handle grip.

- 1/2" Drive 250 ft-lb.

- 3/4" Drive 600 ft-lb.

718912 259⁰⁰

718918 839⁰⁰

Reversible Ratcheting Wrench Set

- Reversing lever on ratcheting box end
- **Exclusive TORQUE DRIVE** non-slip open ends.
- RCWS-12MR - 12 Piece.
- RCWS-13SR - 13 Piece.

700372 259⁰⁰

700322 359⁰⁰



9





Multipurpose Digital Multimeter

- DC Voltage: Up to 1000 V

- AC Voltage: Up to 750 V - DC current: 2000µA to 10A

- Resistance: 200 Ohms to 2000K Ohms.

602500 **27**⁹⁰





Cylinder Leakage Tester Kit

Quickly diagnose internal engine problems such as bad rings, valves and leaking head gaskets. Includes 10, 12 and 18 mm thread

5609 154⁰⁰





MaxiSYS MS906PROTS Diagnostics Tablet
- The MS906 Pro's Octa-core processor, Android 7
operating system, and 128 GB of memory enable the tablet to perform advanced diagnostics, access comprehensive repair information, conduct battery and electrical system analysis and ADAS calibrations. Includes TPMS.





ALL in one Autel MaxilM IM608 PRO II Key Programming Tool,

- Autel IM608 PRO II is the most advanced key programming tool, which combines IMMO and programming functions with OE-level diagnostics and advanced service functions in one tablet.



100

OBD2 Heavy Duty Diagnostic Scanner

- Extraordinarily powerful Cortex-A9 quad-core processor
- Internal reliable and fast 32 GB Solid State Drive for better performance
- Built-in 5-megapixel rear camera with autofocus and flashlight.





MaxilM KM100 -**KM100 Key** Generator





and one year warranty.

MAXIBAS BT608 Battery Tester
- Comprehensive battery and electrical system diagnostics tool featuring Adaptive Conductance technology to identify low-capacity batteries and reduce battery misdiagnosis. The Android-based tablet tool displays a quick battery health status, enables an automatic battery registration and features advanced AutoVIN and ScanVIN functionality. The tool features a built-in thermal printer

64900



MaxiBAS BT609 Battery Tester - Test 12-volt batteries:

- 100 3000 CCA
- Test Flooded, AGM, AGM Spiral, EFB and GEL batteries.

BT609 94900



AL529 Autolink Pro Service Tool

Compatible with domestic, Asian and European vehicles, 1996 and newer ÓBD II/EOBD compatible vehicles. Retrieves generic (p0, p2, p3 and u0), manufacturer-specific (p1, p3 and u1) and pending codes

Autovin function for quick manufacturer-specific code identification.

AL529 **139**00



ABS/SRS/Engine/Transmission Code Reader - Compatible with domestic, Asian and

- European vehicle, 1996 and newer
- Read/erase codes on four systems: ABS, SRS, engine/ transmission systems
- Performs I/M readiness (emissions) testing.

AL629 **214**00



MD808P All Code Reader with EPB/SAS/DPF Services

The MD808P is an advanced all systems code reader. It can access all modules in all systems, performs AutoSCAN, and currently has 6 service functions. The MD808P can graph/record/playback live data, display live and freeze frame data, and supports all 10 OBDII test modes. It has enhanced Mode 6 diagnostics, I/M readiness/emissions testing, and performs DPF regeneration. The MD808P is updatable via PC and includes an OBDII

cable and a 4-inch color screen. A 1-year tool warranty and free lifetime software updates are available with purchase.

MD808P 359⁰⁰





Auto-Ranging Digital Multimeter, 10 MegOhm

- Auto-ranging scales

check.

- Safe for automotive and household uses
- Large, color-coded LED digital display - Designed to test AC or DC voltage,
- batteries, AC and DC currents, resistance, diodes, and continuity - Color-coded LED's display battery quick



Professional Timing Light

- Shockproof housing, molded boots, builtin hand guard for protection, detachable
- 6-foot leads with metal inductive pickup Patented skip circuitry test up to 9,990 RPM, works with 12-volt negativeground vehicles, distributorless ignition systems, and all timing systems

Switches from 2 to 4 cycles.



Carscan Advisor Pro Diagnostic Tool (2022)

- 3.375" LCD all-in-one display
- Allows you to scan and graph ABS, SRS and Powertrain Live Data parameters
- True data direct and free RepairSolutions2 app Many additional professional
- features.



Test Light/Circuit Tester

- Helps to quickly identify if there is voltage present on wiring and circuits
- Ergonomic grip design and 6-foot test leads.



Smart Test Light / Circuit Tester

- Designed to safely check voltage and/ or ground on several electronic systems, including wiring, fuses, battery, cabling, sensors, switches, and more Cigarette lighter/power plug connection,
- ergonomic grip design and 6-ft test leads.





Fuel Injection Pressure Tester

- Large, easy-to-read 2-1/2" dial face with 0-100 psi scale
 - 16" gauge hose and 6' bleed-off hose with solid brass fittings, with adapters for domestic and import vehicles.

3640 40⁹⁰





WELDING & ACCESSORIES





G350-540/510 Medalist Classic

- Heavy duty construction
- One cutting attachment for all fuel gases
- (with proper tip)
 G350 Series Regulators with large 2.5" gauges.



Thermal Dynamics Cutmaster 30+ **Plasma Cutter**

- 120/240V -Lightweight design with three handles for easy transportation.

1-3000-1 CALL US



Esab Rogue EM140 Welder

- Inverter-based MIG/MAG welding system - The system features industrial-grade arc performance and full featured controls that allow the welder to fine tune arc

characteristics based on the material they are welding.

0700301082 99900

1423-0026

10⁹⁰



Esab Rogue EM125 Welder

- Versatile inverter-based MIG welding system that caters to a wide range of welding projects, including light fabrication, repairs, and maintenance tasks.
- IP23S rated for indoor/outdoor use.

0700301081 69900

Mig Wire

03842698

469⁰⁰

- For general purpose MIG weldingDesigned to be used on mild steel
- DC reverse polarity.



Doub No.	T	Casal Cias	Wina Cina	Duine
Part No.	Туре	Spool Size	Wire Size	Price
1440-0210		2 lbs	.023"	17 ⁹⁰
1440-0211		11 lbs	.023"	49 ⁹⁰
1440-0215	ER70S-6 MIG Wire Solid	2 lbs	.030"	13 ⁹⁰
1440-0216		11 lbs	.030"	46 ⁹⁰
1440-0220		2 lbs	0.35"	11 ⁹⁰
1440-0221		11 lbs	.035"	43 ⁹⁰
1440-0222		33 lbs	.035"	10900
1440-0230	E71T-GS Flux Cored	2 lbs	.030"	40 ⁹⁰
1440-0235		2 lbs	.035"	34 ⁹⁰
1440-0236		10 lbs	.035"	134 ⁰⁰



Spark Lighter

- Easy ignition, resists rust and corrosion

- Single Flint.



Part No.	Design	Price
1444-0890	23 Contact Tips	2^{69}
1444-0891	30 Contact Tips	2 99
1444-0892	35 Contact Tips	2 ⁶⁹



Part No.	Design	Price
1441-0085	Pinstripe	
1441-0086	Piston & plug	19900
1441-0088	Skull	

Welding Electrodes

Part No.	Туре	Size Type	Applications	Polarity	Tensile Strength	Вох	Price	
1440-0107	6011	1/8", mild steel type	All position electrode Deep penetration, welds through rust, scale, oil and dirt AC or DC . 60 000 psi	All position electrode			10 lbs	37 ⁹⁰
1440-0116	6011	3/32", mild steel type		AC or DC Reverse polarity	60,000 psi	5 lbs	22 ⁹⁰	
1440-0135	6013	1/8" mild steel type	All position electrode Designed for general purpose, excellent for low heat			5 lbs	18 ⁹⁰	
1440-0182	7018	5/32", low hydrogen type		AC or DC Either polarity	70,000 psi	10 lbs	39 90	
1440-0186	7018	1/8", low hydrogen type	Medium penetration			5 lbs	19 90	
1440-0187	7018	1/8", low hydrogen type	·			10 lbs	35 90	



LINCOLN

Century FC90 Fluxed-Cored Wire Welder

- Portable, 120 V welder - Offers 30-90 A welding output and welds


18-gauge to 1/4" in a single pass.

K34931 349⁰⁰



AC225™ Stick Welder - The AC225 compact stick welder produces an extremely smooth AC arc for welding a wide variety of materials including carbon, low alloy, and stainless steels as well as cast iron.

K1107 **780**00



Century Oxy-acet Outfit

- Brass torch handle includes built-in reverse flow check
- valves Cutting attachment includes solid forged brass head, tail and stainless
- steel tubes Regulators feature a brass body.

CK32301 **587**00



Flux Core Wire

- 2 lb roll, pack of 2.
- 0.030 caliber. - 0.035 caliber.

ED561137B2PK 4490

ED561138B2PK 42⁹⁰



Flux Core Wire

- 2 lb roll, pack of 2.
- 0.030 caliber. 0.035 caliber.

ED561137 3490

ED561138 32⁹⁰



Flux Core Wire

- 0.035 caliber - 10 lb roll.

ED561320 **77**90







NEW MILWAUKEE TOOLS

MWK



Claim your free tool at www.milwaukeecanadaebates.ca! Promotion may end at any time, quantities are limited.



BUY ONE OF THESE SHOCKWAVE IMPACT DUTY™ SOCKET SETS

RECEIVE A FREE SHOCKWAVE IMPACT DUTYTMETRIC STANDARD **6 POINT SOCKET SET**

29-Piece ShockWave Impact Duty™ **Socket Set**

1/2" drive deep 6-point sockets

- High-strength forged steel sockets with long-lasting, ink-filled markings.



43-Piece ShockWave Impact Duty™ Socket Set - SAE and Metric

3/8" drive deep 6-point sockets

- High-strength forged steel sockets with long-lasting, ink-filled markings.



14-Piece ShockWave Impact Duty™ Metric Standard 6 Point Socket Set

- 1/4" Drive.

- 3/8" Drive.

ITEM 49-66-7002

ITEM 49-66-7007

M12 FUEL™ INSIDER™ Extended Reach **Box Ratchet**

- Unrivaled Access with INSIDER™ Box Ratchet Sockets
- Ultimate Versatility to get more jobs done with one tool.



3050-20 398⁰⁰

M18™ Dual Bay Super Charger - Delivers up to 6X Faster charging to

80% for more productivity.



M18™ 18-Volt REDLITHIUM™ FORGE™ Batterie **lithium-ion haute performance 6,0 Ah**- Delivers HIGH OUTPUT™ 12.0 power in a smaller size and

- lighter weight
- 15 min Supercharge to 80% with the NEW M18™ Dual-Bay Simultaneous Super Charger.

48-11-1861 279⁰⁰



M12™ Auto **Technician Borescope**

- 4-l evel zoom adjustment
- 3' camera cable.





38-Piece Tap & Die PACKOUT™ Set with Hex-LOK™ 2-in-1 Handle

- Hex-LOK™ 2-in-1 Handle is the most versatile threading solution designed for tap and die threading.





Long Reach Hose Grip Pliers Set

- Deep-reach cross handles: increased reach in tight spaces
- Forged alloy steel for maximum tool strength and durability.

- 2-Piece

48-22-6542 **89**00



- 3-Piece

48-22-6563 **144**00



9-Piece Snap Ring Pliers Set

Easier Conversion: Anti-Slip Dial.







MÄKTIG



EPDM Rubber Air Hose

- Hose I.D & O.D: 9.5*16.5 mm.

Part No.	Hose (in x ft)	Price
801065	3/8" x 50'	54 ⁹⁰
801067	3/8" x 100'	91 ⁹⁰




Air Hose Reel

- Nitrile butadiene, oil-resistant rubber air hose
- 8-position locking system

Aujustable	o position rotter	guide ai iii.
Dart No	Hose (in v ft)	Drico

- Adjustable 5-position roller guide arm		
Part No.	Hose (in x ft)	Price
800104	3/8" x 50'	21900
800105	1/2" x 50'	22900





5 HP Compressor

- 20-gallon air compressor
- Durable oil lubricated pump
- 125 psi maximum ASME safety valve 14.5 AMP
- Comes with wheels for easy manoeuvrability.

8498 36900



5.5 Peak Hp 20 Gallon Air Compressor

- 2 cylinder cast iron single stage oil lubricated
- pump 50 PSI Max pressure for optimum tool performance.

KC-2051h2

77400



24 Gallon Air Compressor - 5.5 PEAK HP

- 2 cylinder cast iron single stage oil lubricated pump.
- 150 PSI Max pressure for optimum tool performance
- ASME registered tank.

KC-3124V2

89900









Grinder - Speed : 22,500 RPM.

> CP875 124⁰⁰

3/8" Air Impact **Wrench**

50 ft-lb 68 Nm maximum torque.

> CP886 **144**00



1/2" Heavy-Duty Air Impact Wrench - 715 ft-lbs (970 Nm) max in reverse

Suited for all maintenance applications: light vehicles tire changing operations, light vehicles mechanical repair, MRO applications 15% lighter than its former version (CP7736).

CP7741 259⁰⁰



Pistol Needle Scaler

- General purpose pistol needle scaler
 Rubber sleeve on handle for better
- comfort - Delivered with 2 sets of needles.





- **Needle Scaler**
- General maintenance needle scaler easily convertible to a weld flux chipping hammer - Adjustable sleeve, 19 x 1/8" (3 mm) steel needles and
- 1.37" (35 mm) width chisel with high resistance to wear.





Replacement Needle Set for CP7120 8940159860 7" Needle **17**90 **Scaler**



PAINT & BODY EQUIPMENT



3M™ File Belt Sander

- 1/2 in x 18 in.

33575 353⁰⁰



3M™ Pistol Grip Disc Sander

33577 269⁰⁰



Cubitron II Net Abrasive

- Our fastest-cutting, longest-lasting, dust capture abrasive 6" discs, roll of 50.

Part No.	Grit	Price
31650	80	
31651	120	78 ⁹⁰
31653	180	10,
31656	320	



Sanding Discs with Stikit™ Attachment, Pack of 10

- Clog Resistant
- Cuts Fast
- Super Strong Abrasive.

Part No.	Grit	Size (in)	Price
31446	320	6 (15.2 cm) 6 (15.2 cm)	
31448	180	6 (15.2 cm)	9 39
31451	80	6 (15.2 cm)	-





- **Yellow Masking Tape** Offers solvent and moisture resistance that minimizes bleed through
- Delivers a controlled unwind that makes tape easier to handle
- Produces sharp, clean, quality paint jobs.

Part No.	Size	Price
06652	18mm x 55m	4 ⁹⁹
06654	36mm x 55m	9 ³⁹
06656	48mm x 55m	12 ⁹⁰



233+ Automotive **Masking Tape, Green**

Part No.	Size	Price
03431C	0.7" x 104' (18mm x 32m)	4 ⁶⁹
03433C	1.4" x 104' (32mm x 32m)	9 ³⁹







Set of 3 Plastic Spreaders

- Reusable

- Includes 3

- Highly flexible

different sizes.

Glass-Reinforced Filler

- Includes cream hardener
- Waterproof
- 20 minute sand time



272

24⁹⁰

Bondo® Body Repair Kit

Includes: 1 pint can body filler, red cream hardenér, self-adhesive metal body patch and spreader.

310 12⁹⁰



Bondo® Fiberglass Resin Repair Kit

- Includes: Fiberglass resin (1/2 pint), liquid hardener, plastic spreader, fiberglass cloth, mixing stick and mixing tray.

420 **26**⁹⁰



2⁶⁹

FLEX TUBE WITH INTERLOCK - HEAVY

- THE INTERLOCK DESIGN REDUCES NOISE AND VIBRATION
- BETTER DURABILITY LOWERING THE WEAR AND DEFORMATION OF THE BRAID
- PRODUCED WITH PREMIUM GRADE 304 STAINLESS STEEL
 - BETTER RESISTANCE TO CORROSION







NEW LINE

POR-15® 45004 Rust **Preventative** Coating - Gloss Black

- 1 Quart.

57-245004 62⁹⁰



POR-15® 49204 **Tank Sealer**

- 1 Quart.

57-249204 54⁹⁰



Krylon ColorAll® General

- Flat black.

B460507

639

Purpose Enamel Paint

- Gloss black.

B460505

639

POR-15® 40104 Cleaner Degreaser 32 oz.

57-240104 14⁹⁰



POR-15® 40204 **Metal Prep**

- 32 oz.

57-240204 21⁹⁰



SHERWIN WILLIAMS.

Rubberset® White China **Bristle Paint Brush**

Part No.	Size	Price
99060310	1"	099
99060320	2"	1 ³⁹
99060330	3"	1 ⁹⁹







Shake and Shoot Bedliner Kit Black

- VOC compliant, every kit comes with a free gun and regulator. Easy to use, simply pour Part B into Part A to the fill line, shake for 2 minutes and "shoot".

- 3.6 L. - 4 L.

BSSBL 174⁰⁰

BSSBLT 174⁰⁰



Paint-Off Hand Cleaner

500 ml.

CUSO 1190



Industrial Coating

FORMULA!

3.6 L / 0.95 gal U.S

Bedliner &

<u>Ansell</u>

Professional Painters Coverall - Model AlphaTec 68-1800

- Chemical-resistant polyethylene disposable coverall with hood and elastic cuffs and

ankles - White.



Part No.	Size	Price
WH18-B-92-111-03	М	
WH18-B-92-111-04	L	869
WH18-B-92-111-05	XL	0,
WH18-B-92-111-06	XXI	

Urethane Auto Glass Adhesive Sealant

- Powerful adhesion to glass and metal
- 300 ml, black.

- Regular.

- Fast Cure.

CUS 13⁹⁰

CUSF 13⁹⁰



Waterless hand cleaner formulated with natural ingredients and pummice scrubbers to gently remove products from your skin





6 mil Disposable Nitrile Gloves

- Superior puncture and abrasion resistance Fully textured grip, beaded cuff and ambidextrous fit
- Powder and latex freeBlack, 9" length.

Part No.	Size	Gloves Per Box	Price
903013	М		
903014	L	100	1690
903015	XL		16 ⁹⁰
903016	XXL	90	



Part No.	Description	Piece	Price
602300	Auto body clip removal plier set	3-Piece	31 90
602302	Automotive trim panel removal tool set	5-Piece	24 ⁹⁰
602303	Automotive trim removal tool set	11-Piece	18 ⁹⁰



- Heavy-duty creeper with extra long 40" bed Four 5" swivel industrial-grade wheels, sturdy gloss black powder-coat finish frame, high-density foam covered in vinyl
- 400lb distributed weight capacity.



784/JEQ - 355116



- 340 g.



218/CRC - 75346



permanent rust protection in 3 steps!

Covers a 6 sq. ft. area with two coats

- Ideal for small projects.



376/ACM - 57-240909



- Introducing Noco's improved Genius 6/12 V battery charger and maintainer perfect for lead-acid and lithium-ion batteries
- Start-voltage sensor detects dead batteries as
- low as 1 volt All-new Force Mode allows manual charging for extreme dead batteries all the way down to
- Built-in battery desulfator, reverse polarity and incompatibility detection, and much more!

Part No.	Amps	Price
GENIUS1	1	39 ⁹⁰
GENIUS2	2	6690
GENIUS5	5	92 ⁹⁰
GENIUS10	10	134 00

NOCO 183/NCO



- 16.9 oz. TX9

190

MAP-Pro Fuel Cylinder

- 14.1 oz Map-Pro cylinder. 324786

1690

Regulated **Self-Lighting Propane Torch**

- Triple point flame. MT535C





854/BZM

We are striving to maintain enough quantities of advertised items to supply the demand. However, if an item is sold out, please accept our apologies. Some items may not be as illustrated. Some part numbers may differ from one region to another, but they represent the same product or an equivalent quality product. Some quantities are limited. We are not responsible for any error or omissions in this document or in any corresponding price list. Freight charges may apply on some items. Prices may change without notice and some promotions may end before the advertised date.

BUMPER TO BUMPER IS A TRADEMARK OF UNI-SELECT INC.







Claim your free tool at www.milwaukeecanadaebates.ca! Promotion may end at any time, quantities are limited.



BUY A SELECT M18 FUEL" BARE TOOL





High-Torque Impact

2864-20

488⁰⁰

Wrench with One-Key™

BUY A **SELECT M18 FUEL™ BARE TOOL**

M18 FUEL™ 1" SDS Plus **Rotary Hammer**

2912-20



M18 FUEL™ 30° Framing Nailer

2745-20



57800

M18 FUEL™ Brushless 6-1/2" **Plunge Cut Track Saw**

2831-20

RECEIVE A FREE M18 BATTERY!

M18 Redlithium™ XC 6.0 **Battery Pack**

48-11-1865





VALID FROM **FEBRUARY 1 TO APRIL 30, 2024**











M18 FUEL™ Compact Impact Wrench with **Friction Ring**

- Bare Tool. 2855-20

M18 FUEL™ 1/2" **Hammer Drill Driver** - Bare Tool.

2904-20



M12 FUEL™ Hackzall® **Reciprocating Saw**

- Bare Tool. 2520-20



M12 FUEL™ **Cut-Off Tool** - Bare Tool.

2522-20







Packout™ Cabinet 20 x 15 x 15"

- 50 lbs weight capacity.

48-22-8445



- M18™ Packout™ LIGHT
 18 V Lithium-lon Cordless PACKOUT 3000 Lumens LED Light with Built-In Charger. Integrated M18™ and USB device charging. Three Independent Pivoting Light Heads. 9 Light Output Modes, Up to 31 hours of run-time (with Back/Front Lights)
- Bare Tool.

2357-20

M18 Rover™ Mounting Flood Light

- Provides up to 1500 lm of Trueview™ high definition light
- 3 output modes Up to 20 hours of runtime
- Equipped with hang holes, powerful magnets, a 2' reinforced spring-loaded clamp and a 360° rotating foldable head
- Bare Tool.



Redlithium™ USB BEACON™ Hard Hat Light

- 5 light output modes: Hybrid Spot/Flood: 600-Lumens - 2 hours Flood High: 400-Lumens - 4 hours Flood Medium: 200-Lumens - 8 hours Flood Low: 25-Lumens - 20 hours Spot High: 400-Lumens - 4 hours BEACON™ Light: 30+ hours.

2116-21





Redlithium™ USB Low-Profile Headlamp

- 4 light output modes: Flood High mode: 600-Lumens - 2 hours Medium mode: 350-Lumens - 6 hours Low mode: 125 -Lumens - 10 hours Eco mode: 25-Lumens - 27 hours.



- M18™ Rover™ Flood Light
 Provides up to 1300 lm of Trueview™ high-definition light
- Up to 8 hours of runtime
- Corrosion-resistant, waterproof and drop-rated body and lens
- Equipped with an swivel octogonal
- support and hang holes Bare Tool.



Redlithium™ USB Hard Hat Headlamp

- 5 Output Modes: Hybrid: 600-Lumens - 5 Hours Flood High: 400-Lumens - 9 Hours Flood Low: 100-Lumens - 20 Hours Spot High: 400-Lumens - 9 Hours Spot Low: 100-Lumens - 20 Hours.

2163-21



12-Piece Demolition Sawzall® Blade Set

Heavy-Duty blade assortment for metal, wood and heavy cutting jobs.

49-22-3329



M18™ Redlithium™ High Output™ XC8.0 Battery

48-11-1880



M18™ Dual Bay Rapid Charger 48-59-1802



M12™ Redlithium™ XC 6.0 Battery Pack



M12™ 2.0 Starter Kit

48-59-2420



We are striving to maintain enough quantities of advertised items to supply the demand. However, if an item is sold out, please accept our apologies. Some items may not be as illustrated. Some part numbers may differ from one region to another, but they represent the same product or an equivalent quality product. Some quantities are limited. We are not responsible for any error or omissions in this document or in any corresponding price list. Freight charges may apply on some items. Prices may change without notice and some promotions may end before the advertised date.

BUMPER TO BUMPER IS A TRADEMARK OF UNI-SELECT INC.

